

### 532nm F-theta Scan Lenses

P/N	Substrate	Scan Field (mm)	Focal Length (mm)	Working Distance (mm)	Incident beam Diameter (mm)	Scan angle (°)	Galvo mirror position (mm)	Wavelength (um)	Connect
SL-70-100-532	Fused Silica	70×70	100	114.5	12	±28°	16/16	532	M85×1/M79×1
SL-110-160-532	Fused Silica	110×110	160	186	12	±28°	16/16	532	M85×1/M79×1
SL-140-210-532	Fused Silica	140×140	210	234	12	±28°	16/16	532	M85×1/M79×1
SL-175-254-532	Fused Silica	175×175	254	262	12	±28°	16/16	532	M85×1/M79×1
SL-230-330-532	Fused Silica	230×230	330	359	12	±28°	16/16	532	M85×1/M79×1
SL-350-500-532	Fused Silica	350×350	500	540	12	±28°	16/16	532	M85×1/M79×1

★The above are about standard products, they can also be custom made.

### 355nm/405nm F-theta Scan Lenses

P/N	Substrate	Scan Field (mm)	Focal Length (mm)	Working Distance (mm)	Incident beam Diameter (mm)	Scan angle (°)	Galvo mirror position (mm)	Wavelength (um)	Connect
SL-13-34-355	Fused Silica	13x13	34	29	12	±25°	16/16	355	M85×1/M79×1
SL-50-63-355	Fused Silica	50x50	63	81	12	±25°	16/16	355	M85×1/M79×1
SL-70-100-355	Fused Silica	70x70	100	136	12	±25°	16/16	355	M85×1/M79×1
SL-100-160-355	Fused Silica	100x100	160	199	12	±25°	16/16	355	M85×1/M79×1
SL-140-210-355	Fused Silica	140x140	210	252	12	±25°	16/16	355	M85×1/M79×1
SL-170-254-355	Fused Silica	170x170	254	296	12	±25°	16/16	355	M85×1/M79×1
SL-220-330-355	Fused Silica	220x220	330	373	12	±25°	16/16	355	M85×1/M79×1
SL-280-420-355	Fused Silica	280x280	420	476	12	±25°	16/16	355	M85×1/M79×1
SL-400-650-355	Fused Silica	400x400	650	710	12	±25°	16/16	355	M85×1/M79×1
SL-110-175-405	Fused Silica	110X110	175	185	12	±25°	16/16	405	M85×1/M55×1

★The above are about standard products, they can also be custom made.



355nm/532nm/1064nm F-theta Lens



● 355nm/532nm/1064nm F-theta Lens ●

# Trade Shows

2014



2015



2016





## Packaging & Shipping

### Packaging 1



### Packaging 2



### Packaging 3



### Shipping 4



