؛pt؛ هامش القاع : pt0.0000؛ الهامش اليمين : pt0.0000الطبقة ص = "ص" على غرار = "هامش قمة: 10.5000<
؛ هيئة علماء المسلمين، pt 0pt 0pt 0pt؛ الحشو : gd0هيئة علماء المسلمين، شبه هامش يمين : 0.0000
؛ "<وصف المنتج(RGB (255، 255، 255: ترقيم الصفحات: الأرامل الأيتام؛ الخلفية

؛pt؛ هامش القاع : pt0.0000؛ الهامش اليمين : pt0.0000الطبقة ص = "ص" على غرار = "هامش قمة: 10.5000<
؛ هيئة علماء المسلمين، pt 0pt 0pt 0pt؛ الحشو : gd0هيئة علماء المسلمين، شبه هامش يمين : 0.0000
<" ؛ (RGB (255، 255، 255: ترقيم الصفحات: الأرامل الأيتام؛ الخلفية

؛pt؛ هامش القاع : pt0.0000؛ الهامش اليمين : pt0.0000الطبقة ص = "ص" على غرار = "هامش قمة: 10.5000<
؛ هيئة علماء المسلمين، pt 0pt 0pt 0pt؛ الحشو : gd0هيئة علماء المسلمين، شبه هامش يمين : 0.0000
قطع Carmanhaas ؛ "<تستخدم الألياف (RGB (255، 255، 255: ترقيم الصفحات: الأرامل الأيتام؛ الخلفية
المكونات البصرية في أنواع مختلفة من ألياف الليزر قطع الرأس ونقل وتركيز الانتاج شعاع من الألياف
لتحقيق الغرض من خفض الميزانية.

؛pt؛ هامش القاع : pt0.0000؛ الهامش اليمين : pt0.0000الطبقة ص = "ص" على غرار = "هامش قمة: 10.5000<
؛ هيئة علماء المسلمين، pt 0pt 0pt 0pt؛ الحشو : gd0هيئة علماء المسلمين، شبه هامش يمين: 0.0000
الألياف // YAG ؛ "<نحن توريد (RGB (255، 255، 255: ترقيم الصفحات: الأرامل الأيتام؛ الخلفية
الألياف الليزر قطع الرأس عدسة واقية على التوالي W 1000W 1500W 2000W 4000W 1064nm 500
6000W

CARMAN HAAS

QBH
Collimating Lens
Focusing Lens
Protective Window
Ceramic Ring
Nozzle

pt؛ هامش القاع : pt0.0000؛ الهامش اليمين : pt0.0000الطبقة ص = "ص" على غرار = "هامش قمة: 10.5000>
؛ هيئة علماء المسلمين، pt 0pt 0pt 0pt؛ الحشو : gd0هيئة علماء المسلمين، شبه هامش يمين : 0.0000
؛ "<محمينافذة او □□ □□□(RGB (255، 255، 255 :ترقيم الصفحات: الأرامل الأيتام؛ الخلفية

طلاء	سمك (مم)	القطر (مم)
AR / AR @ 1030-1090nm	2.	21.5
AR / AR @ 1030-1090nm	1.5	24.9
AR / AR @ 1030-1090nm	2.	32.
AR / AR @ 1030-1090nm	1.5	38.1
AR / AR @ 1030-1090nm	4	22.35
AR / AR @ 1030-1090nm	4	25.4
AR / AR @ 1030-1090nm	4	27.9
AR / AR @ 1030-1090nm	5	30
AR / AR @ 1030-1090nm	5	32.
AR / AR @ 1030-1090nm	7	37.
AR / AR @ 1030-1090nm	6.35	38.1

طلاء	ET (مم)	ضياء. (مم)	المادة المتفاعلة	P / N
AR / AR @ 1064nm	1.5	9.5	تنصهرالسيليكا / K9	W-9، 5-1، 5
AR / AR @ 1064nm	2.	12.7.	تنصهر السيليكا / K9	W-12، 7-2
AR / AR @ 1064nm	3/5	20	تنصهر السيليكا / K9	W-20-3
AR / AR @ 1064nm	4	22.35	تنصهر السيليكا / K9	W-22، 35-4
AR / AR @ 1064nm	5	30	تنصهر السيليكا / K9	W-30-5
AR / AR @ 1064nm	3.	34.	تنصهر السيليكا / K9	W-34-3
AR / AR @ 1064nm	2/7	37.	تنصهر السيليكا / K9	W-37-2
AR / AR @ 1064nm	10	50.	تنصهر السيليكا / K9	W-50-10
القوائم المذكورة أعلاه هي أجزاء القياسية لدينا ويمكننا أيضا جعل أجزاء مخصصة لك.				

انقر على عدسة التركيز لرئيس الألياف القطع للمزيد من المعلومات

Installation Diagram



1 Fixed Ring

2 Protective Windows

3 Sealing Ring

4 Supported Base

NOTICE: 1—3 Parts Should be taken out in the direction of the arrow, otherwise these parts will be damaged.

□□□□

CARMAN HAAS
企业愿景：致

verifire
zygo


重要仪器，
非专人士勿动。
OptiCentric 300
TRIOPTICS



PerkinElmer Lambda 950---Testing Transmission and Reflectivity

شهادة للمؤتمرات والمعارض

CERTIFICATE

ATIESTATION
CERTIFICATE OF MACHINERY AND LOW VOLTAGE DIRECTIVES

Technical file of the company mentioned below has been observed and audit has been completed successfully. 2006/42/EC Machinery Directive and 2014/ 35/EU Low Voltage Directive have been taken as references for these processes

Company Name	: **Carman HAAS Laser Technology (Suzhou) Co., Ltd.**
Company Address	: No 155, West Road Suhong, Suzhou Industrial Park, Suzhou City, Jiangsu , P.R.China
Related Directives and Annex	: **Low Voltage Directive 2014/35/EU** **Machinery Directive 2006/42/EC**
Related Standards	: **EN ISO 12100:2010; EN 60204-1:2006+A1:2009+AC:2010**
Product Name	: **Laser Marking Machine**
Report No and Date	: SD-90049717;09.08.2018
Product Brand/Model/Type	: LMCH-3W,LMCH-5W,LMCH-10W,LMCH-15W,LMCH-20W,LMCH-25W, LMCH-30W,LMCH-50W,LMCH-60W,LMCH-70W,LMCH-100W, LMCH-120W,LMCH-150W,LMCH-200W,LMCH-300W,LMCH-500W
Certificate Number	: **M.2018.201.N6073**
Initial Assessment Date	: 10.08.2018
Registration Date	: 13.08.2018
Reissue Date/No	:
Expiry Date	: **12.08.2023**

UDEM International Certification Auditing Training Centre Industry and Trade Inc. Co.

The validity of the certificate can be checked through www.udem.com.tr. The CE mark shown on the right can only be used under the responsibility of the manufacturer with the completion of EC Declaration of Conformity for all the relevant Directives. This certificate remains the property of UDEM International Certification Auditing Training Centre Industry and Trade Inc. Co. to whom it must be returned upon request. The above named firm must keep a copy of this certificate for 15 years from the registration of certificate. This certificate only covers the product(s) stated above and UDEM must be noticed in case of any changes on the product(s)

Address: Mutlukent Mahallesi 2073 Sokak (Eski 93 Sokak) No:10 Çankaya – Ankara – TURKEY
Phone: +90 0312 443 03 90 **Fax:** +90 0312 443 03 76
E-mail: info@udemltd.com.tr www.udem.com.tr

ISO 9001

ISO 9001

Certificate of Approval

Certificate No.: 10119Q12565ROM

Awarded to

Carman Haas Laser Technology(SuZhou) Co., Ltd.

Organization Code Certificate No. / Unified Social Credit Code:91320594MA1MF4EP56
Add.:No.155, West Road Suhong, Suzhou Industrial Park, Suzhou City, Jiangsu Province, P.R. China. 215000

Beijing ZhongLianTianRun Certification Center (ZLTR) certify that the Quality Management System of the above organization has been assessed and found to be in accordance with the requirements of the standard:

GB/T19001-2016 / ISO9001:2015

SCOPE OF CERTIFICATION/REGISTRATION

The Research and Development and Production of Optics Lenses (Except the limits of national laws and regulations.)

This certificate is made valid when used with certification scopes and the requirements of applicable laws and regulations. These requirements include, but are not limited to, administrative permits, scopes of qualifications, and CCC requirements.
Subject to operation conditions in requirements conformity with Quality Management System, This Certificate is valid for a period of three years only,
Date from: Mar 13th,2019 To: Mar 12th,2022
The effectiveness of this Certificate shall be Validated by periodic surveillance audit of ZLTR for maintenance.
Information of this certificate can be found on the official website of Beijing Zhonglian Tianrun Certification center (http://www.zltr.com.cn)

SCC Accredited CB-MS OCSM Accrédité CCN Accredited CB-MS (Certification Body – Management Systems)

MEMBER OF MULTILATERAL RECOGNITION ARRANGEMENT IAF

Beijing Zhongliantianrun Certification Center ISSUED BY

Beijing Zhongliantianrun Certification Center
Room2603, 22nd Floor, 2nd Unit, Block 1, No.4 Yard, Qiyang Road, Chaoyang District, Beijing, P.R. China 100102
Information of this certificate can be found on the official website of Certification and Accreditation Administration of the People's Republic of China (http://www.cnca.gov.cn)

慕尼黑上海光博会
LASER PHOTONICS CHINA
LASER PHOTONICS
Messe München
LASER PHOTONICS INDIA
卡门哈斯

SERIGRAFIA
SIGN
FUTURETEXTIL
Brazil
CARMAN HAAS Laser
Technology (Suzhou) Co., Ltd.
4116
Laser Korea 2019

MAKTEK
eurasia
Turkey
SIGNiSTANBUL
PEKLAVA
Russia
RAYLOGIC
YAROV
CARMAN HAAS LASER
L-48
CARMAN HAAS LASER TECHNOLOGY CO., LTD.

□□□□□□□ □□□□□

Packaging & Shipping

Packaging 1

Packaging 2

Packaging 3

Shipping 4

DHL EXPRESS

TNT

EMS

FedEx Federal Express

SF EXPRESS 顺丰速运

UPS



Inquiry
Reply
Contract
Receive payment&Product
Testing and packing
Delivery
Receiving

سياسة العائدات :

ينبغي أن يطلب من العوائد :
الخطوة 1) اتصل بنا مع هذا الموقع البريد الإلكتروني .
الخطوة 2) توفير كما قدر ممكن من التفاصيل حول المشكلة التي تواجهها .
وستصدر الخطوة 3) التخويل لإرجاع البند .
الخطوة 4) العودة البند لاستبدال وافقت أو ردها .

الخدمات اللوجستية :

خدمات، EMS، TNT، فيديكس، UPS، DHL (1) ليزر بصريات من أجل إنجاز، يمكن أن يكون اختياري مع الاختبارات التربوية

عن طريق الجو أو عن CIF، CNF، EXWORK FOB (2) ليزر من أجل إنجاز آلة، يمكن أن يكون اختياري لشروط طريق البحر على أساس وكلاء المشتري أو لنا.

التعليمات

Q1.Are انت منتج؟
A1: نعم، ونحن على الصانع المهنية والخبرة مع القوالب الخاصة بنا وخطوط الإنتاج.

Q2.How عن جودة المنتجات؟
A2: لدينا الفنيين وفرق مراقبة الجودة اختبار المنتجات واحدا تلو الآخر باستخدام خط الشيخوخة والأجهزة والأدوات المهنية لضمان الجودة لجميع المنتجات.

Q3.How عن الأسعار؟
A3: ونحن على الصانع ودائما نقدم لعملائنا بأسعار تنافسية.

Q4.How أن تضع طلبية؟
A4: الاتصال مع خدمة الإنترنت، أو البريد الإلكتروني أرسلت إلينا مباشرة، وسوف نقوم بالرد عليك مع سعر المنتج والمواصفات والتعبئة الخ قريبا. شكرا لك .

Q5.May I إرسال المواد إلى اختبار الأداء بمناسبة؟
A5: نعم ! اهلا وسهلا بكم لإرسال المواد لاختبار الجودة العالية والخدمة.

Q6.Can I زيارة المصنع الخاص بك؟
A6: نعم، مرحبا بكم في زيارة المصنع في وقت مناسب لكم.

Q7.How يمكنني جعل **OEM** أو **ODM** أوامر؟
A7: لدينا معالجة طباعة مختلفة لأوامر OEM / ODM مختلفة . يرجى الاتصال بنا مع الخدمة عبر الإنترنت
أو ارسال البريد الالكتروني لنا مباشرة.

Q8. كيف ينبغي أن تدفع لأوامري؟
A8: يمكنك الدفع عن طريق T / T سيكون متاحا للبنك المؤهلين وموك المطلوبة في كل أمر.