


Procuton Specification

D30 F100mm / F125mm



BT240S

Collimating Lens



Focusing Lens



BM111

Collimating Lens



Focusing Lens



□□□□□□ □□□□:

□□□□□□	
□□□□□□ □□□□	□□□□□□□□ □□□□□□
□□□□□□ □□□□□□□□	+0.000 "-0.005"
□□□ □□□□□□□□	± 0.005 "
□□□□□□ □□□	3 □□□□
□□□□□□ □□□□□□ □□□	1 □□□□
□□□□□ □□□□	10-5
□□□□□□) □□□□□ □□□□)	≥90°
□□□□□□ □□□□□□ □□□□□ □□□□ (EFL)	<1.0°

□□□□ □□□□:

□□□□□□□□	
□□□□ AR 1070 @ □□□□□□ □□□□□□nm	<30 □□□□□□□□ □□ □□□□
□□□□ □□□□□□□□	> 99.9%
□□□□□□□□□□	
□□□□ AR / AR 1070 @ □□□□□□□□ □□□□□□nm	
□□□□ □□□□□□□□	<10 □□□□□□
□□□□□□□□□□	> 99.9%

□□□□□□□□ □□□□□□□□ □□□□ □□□□□□:

□□) □□□□□□)	□□) □□□□□□ □□□□□□)	□□□□□□
25.4	75	AR / AR @ 1030-1090nm
25.4	100	AR / AR @ 1030-1090nm
28	75	AR / AR @ 1030-1090nm
28	100	AR / AR @ 1030-1090nm
30	75	AR / AR @ 1030-1090nm
30	100	AR / AR @ 1030-1090nm
37	100	AR / AR @ 1030-1090nm


□□□□□ □□□□□□□□ □□□□□□ □□□□:

□□) □□□□□)	□□) □□□□□□ □□□□□)	□□□□
25.4	125	AR / AR @ 1030-1090nm
28	125	AR / AR @ 1030-1090nm
30	125	AR / AR @ 1030-1090nm
30	150	AR / AR @ 1030-1090nm
30	200	AR / AR @ 1030-1090nm
37	150	AR / AR @ 1030-1090nm
37	200	AR / AR @ 1030-1090nm
38.1	200	AR / AR @ 1030-1090nm

□□□□



TRIOPTICS OptiSpheric 2000 AF
---Testing EFL, R, Centering Error, Wedge Angle, BFL, MTF



PerkinElmer Lambda 950---Testing Transmission and Reflectivity



Carmanhaas Coating Machine



Packaging & Shipping

Packaging 1



Packaging 2




Packaging 3



Shipping 4





□□□□□□□□ □□□□□:

: 1. 2. 3. 4.

. (1)

. (2)

. (3)

. (4)

QUESTION:

(1) DHL UPS FedEx TNT EMS

(2) EXWork FOB CNF CIF



QUESTION

A1:

Q2.How

:2

.3

A3:

.4

A4:

.5

:5

.6

A6:

.7

A7: OEM / ODMers.

.8

A8: T / T

