

□□□□□□ □□□:

□□□□□□ □□ □□□□ □□□□□□ □□□□□□
:□ □□□
□□ 28 (OEM Precitec P0571-1051-00001)
□□□ 12 :□□□□□ □□□ 24.5 / 28 :□□□□□□ □□□□□□
:□ □□□□□
□□ 28 (OEM Precitec P0571-260-00001)
□□□ 12 :□□□□□ □□□ 24.5 / 28 :□□□□□□ □□□□□□
:□ □□□□□
□□ 32 (OEM Raytools BT240 / BM109)
□□□ 12 :□□□□□ □□ 28.5 / 32 :□□□□□□ □□□□□□

□□□□□□ □□□□□□:

- (1) □□□□ □□□ □ □□□□ □□□ □ □□□□□□ □□□□□□□□
- □□□□□□ □ □□□□ □□□□□□ □ □□□□□□ □□□□□ □□□□ □□□□□□ (2)
- □□□□ □□□□□ □□□□□ (3)

[□□□□□□ □□□□□□□□ □□□□□□ □□□□□ □□□□□ □□□□□□□□](#)



Features

Complete specifications, Spot sale.
 Long life time, Not easy to crack, Not easily stained with ash.
 Low Loss Anti-reflectanc, High Efficiency.
 CNC milling and turning, drilling, grinding, tapping, high accuracy and small error.
 100% inspection before shipment, quality assurance.

Product Details




Single Nozzle
 Diameter: 28mm
 Height : 15mm
 Thread : M11

Double Nozzle
 Diameter : 32mm
 Height : 15mm
 Thread : M14





PRODUCT SPECIFICATIONS




PACKAGING



□□□□□□ □□□□ □□ □□□□ □□□□□□:

□□ □□□□)	□□ □□□□□□□□)	□□ □□□)	□□□□
28	15	□□□□□	1.0 / 1.2 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0
28	15	□□□□□□ □□□	1.0 / 1.2 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0
32	15	□□□□□	1.0 / 1.2 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0
32	15	□□□□□□ □□□	1.0 / 1.2 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0
10.7	22.2	□□□□□	1.0 / 1.2 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0
10.7	22.2	□□□□□□ □□□	1.0 / 1.2 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0
11.4	16	/	0.8 / 1.0 / 1.2 / 1.5 / 2.0 / 2.5
15	19	□□□□□	1.0 / 1.2 / 1.5 / 2.0 / 2.5 / 3.0
15	19	□□□□□□ □□□	0.8 / 1.0 / 1.2 / 1.5 / 1.8 / 2.0 / 2.5 / 3.0

□□□□□□□□ □□□□□□□□ □□□ □□□□□□ □□□□ □□□ □□□




光纤切割头光路示意图
Figure of Fiber Cutting Head





TRIOPTICS OptiSpheric 2000 AF
---Testing EFL, R, Centering Error, Wedge Angle, BFL, MTF



PerkinElmer Lambda 950---Testing Transmission and Reflectivity



Carmanhaas Coating Machine



Packaging & Shipping

Packaging 1



Packaging 2




Packaging 3



Shipping 4





□□□□□□□□ □□□□□:

:□□□□□□□ □□□□ □□ □□□□

- .000000 000 0000000000 000000 0000 00 000 0000 (1 0000000)
- .00000000 00000 000000000 0000 0000000000 00 00000 0000 0000 0000 (2 00000000)
- .00000000 00000000 0000 0000000 00000 (3 00000000)
- 0000000 00000000 0000000000 00 00000000000 00000000 0000000 (4 00000000).

0000000000 00000000:

- (1) 00 0000000000 00000 00 00000 0 00000000 00000000 0000 00000000 DHL 0 UPS 0 FedEx 0 TNT 0 EMS 0000
- (2) 00000 00 00000000000 00000 00 00000 0 00000000 0000 0000 00000000 EXWork 00 FOB 00 CNF 00 CIF 00000 00 0000 00 000000000 000000 0000 0000000 000000 00000 00 00 00000.



000000 0000 00

A1: 0000 00000000 0000000000 0000000 0000000000 00 00000 00000 000000000 00000000 0000 0 0000.

00000000000 00000 0000 0000 .2 0

0000000000 00 0000000000 00000000 0000 0000000 0000000000 0000000000 00000000 00000000 00000 00000000 00000 00000000 00000 :2 0 0000000000 0000000 00000000 0000000 0000000000 0000000000.

00000000 0000 0000 .3 0

A3: 00000000 000000000 00000 00000000 0000000000 0000000 000000 00000 0000.

000000000 0000 000000 .4 0

A4: 00000 00000 0000000 00000 00000 0 0000000 000000000000 00000000 0000 00000 00 0 0000000000 0000 0000000000 00000 00 00000 .00000000 0000 0000 0000 00000000000 000000000000 0000000000.

00000000000 0000 00000 0000000000 00000 0000000 00000000 00 .5 0

000000000 000000000 000000000 0000000000 000000 00000000 00 00000 !0000 :5 0.

0000 0000000 00000000 00000000 .6 0

A6: 000000000 00000 00 00000000 00000000 00000 0 0000.

000000000 00 000000000 0000000000 0000000 000000 0000 00000000 0000 .7 0

A7: 0000000 00000000 000000000 0000000 0000000 0000000 OEM / ODMers. 0000000000 0000 00000000 00 0000 0000000000 000000 00000000 00000000000 00000 0000000 00.

00000000 00000 00 0000 0000 .8 0

A8: 00000 00 0000000 0000000 T / T 0000 0000 0000000000 00000 00000000 0000000 0000000 0000000 0000000.