

**Collimating Lens for
Fiber Cutting Head
D30 F100mm**



**Focusing Lens for
Fiber Cutting Head
D30 F125mm**



Cutting Head full optical parts



□□□□□□ □□□□:

□□□□□□	
□□□□□□ □□□□	□□□□□□□□ □□□□
□□□□□□ □□□□□□	+0.000 "-0.005"
□□□ □□□□□□□	± 0.005 "
□□□□□□ □□□	3 □□□□
□□□□□□ □□□□□□ □□□	1 □□□□
□□□□□□ □□□□	10-5
□□□□□□) □□□□□□ □□□□	≥90□
□□□□□□ □□□□□□ □□□□□□ □□□□ (EFL)	<1.0□

□□□□ □□□□:



□□□□□□	
□□□□ AR 1070 @ □□□□□□ □□□□nm	
□□□□ □□□□□□	<30 □□□□□□□□ □□ □□□□
□□□□□□□□□□	> 99.9□
□□□□ AR / AR 1070 @ □□□□□□□□ □□□□nm	
□□□□ □□□□□□	<10 □□□□□□
□□□□□□□□□□	> 99.9□

□□□□□□□□ □□□□□□□□ □□□□ □□□□:

□□) □□□□□□	□□) □□□□□□ □□□□□□	□□□□
25.4	75	AR / AR @ 1030-1090nm
25.4	100	AR / AR @ 1030-1090nm
28	75	AR / AR @ 1030-1090nm
28	100	AR / AR @ 1030-1090nm
30	75	AR / AR @ 1030-1090nm
30	100	AR / AR @ 1030-1090nm
37	100	AR / AR @ 1030-1090nm

□□□□□ □□□□□□□□ □□□□□□ □□□□:


切割头直径 (mm)	切割头长度 (mm)	镀膜
25.4	125	AR / AR @ 1030-1090nm
28	125	AR / AR @ 1030-1090nm
30	125	AR / AR @ 1030-1090nm
30	150	AR / AR @ 1030-1090nm
30	200	AR / AR @ 1030-1090nm
37	150	AR / AR @ 1030-1090nm
37	200	AR / AR @ 1030-1090nm
38.1	200	AR / AR @ 1030-1090nm



光纤切割头光路示意图
Figure of Fiber Cutting Head



TRIOPTICS OptiSpheric 2000 AF
---Testing EFL, R, Centering Error, Wedge Angle, BFL, MTF



PerkinElmer Lambda 950---Testing Transmission and Reflectivity



Carmanhaas Coating Machine



Packaging & Shipping

Packaging 1



Packaging 2



Packaging 3



Shipping 4





□□□□□□□□ □□□□□:

- : 1. 2. 3. 4.

QUESTION:

- (1) DHL UPS FedEx TNT EMS
- (2) EXWork FOB CNF CIF



QUESTION

A1: ...

Q2.How ...

... :2

.3

A3: ...

.4

A4: ...

.5

:5

.6

A6: ...

.7

A7: OEM / ODMers. ...

.8

A8: T / T ...

