

□□□□□ □□□:



□□□□□□□□ □□□□□□ **L.**□□ □□□□□□ □□□□ □□□□□□ □□□□□□□□ □□□□□□ □□□□□□ □□□□ □□□□ □□□□□□ □□ □□□□□□ □□ □□□□□□ □□□□ □□ □□ □□□□□□ □□□□ □□ □□ □□□□□□ □□□□ □□ □□ □□□□□□ □□□□ □□ □□ □□□□□□ □□□□□□.

□□□□□□ □□□□□□:

- (1) □□□□□□□□ □□□□□□□□ □□□□□□ □□□□□□□□ □□□□
- □□□ (2): $\lambda / 5$
- (3) □□□ 15000 □□□ :□□□□□□ □□□□□□□□
- 20> □□□□□□□□ □□□□ □ □□□□□□ □□□□□□ □□□□□□ □□□□ (4)ppm, long life time
- (5) □□□□□□□□ 0.2 □□□ □□□ □□□□ □□□ □□□ □□□□□ □□□

30	125	AR / AR @ 1030-1090nm
30	150	AR / AR @ 1030-1090nm
30	200	AR / AR @ 1030-1090nm
37	150	AR / AR @ 1030-1090nm
37	200	AR / AR @ 1030-1090nm
38.1	200	AR / AR @ 1030-1090nm

□□□□□□ □□□□ □□□□



光纤切割头光路示意图
Figure of Fiber Cutting Head

□□□□



TRIOPTICS OptiSpheric 2000 AF
---Testing EFL, R, Centering Error, Wedge Angle, BFL, MTF



PerkinElmer Lambda 950---Testing Transmission and Reflectivity



Carmanhaas Coating Machine



Packaging & Shipping

Packaging 1



Packaging 2




Packaging 3



Shipping 4





□□□□□□ □□□□□□□□□□□□□□□□:

:□□□□□ □□□□ □□ □□

