Produktinformation

Produktbeschreibung:

Carmanhaas könnte eine komplette optische Laserreinigungslinse und Systemlösung anbieten. Inklusive QBH-Modul, Galvo-Scanner, F-Theta-Scan-Objektiven und Steuerungssystem. **China maßgeschneiderte Galvo Laserkopf Lieferanten**Wir konzentrieren uns auf industrielle High-End-Laseranwendungen.
Unser Galvo Scanner Standardmodell ist PSH10, PSH14, PSH20 und PSH30.
PSH10 Version- für industrielle High-End-Laseranwendungen wie Präzisionsmarkierung, Verarbeitung im laufenden Betrieb, Reinigung, Schweißen, Tuning, Ritzen, additive Fertigung (3D-Druck), Mikrostrukturierung, Materialbearbeitung usw.
PSH14-H Hochleistungsversion- für Laserleistungen von 200 W bis 1 kW (CW); vollständig versiegelter Scankopf mit Wasserkühlung; geeignet für hohe Laserleistung, staubige oder umweltschädliche Anlässe, z. additive Fertigung (3D-Druck), präzises Schweißen usw.
PSH20-H Hochleistungsversion- für Laserleistungen von 300 W bis 3 kW (CW); vollständig versiegelter Scankopf mit Wasserkühlung; geeignet für hohe Laserleistung, staubige oder umweltschädliche Anlässe, z. additive Fertigung (3D-Druck), präzises Schweißen usw.
PSH30-H Hochleistungsversion- für Laserleistung von 2 kW bis 6 kW (CW); vollständig versiegelter Scankopf mit Wasserkühlung; Geeignet für extrem hohe Laserleistung und extrem niedrige Drift. Z.B. Laserschweißen.(**Galvo Scanner Großhandel China**)

Hauptvorteile:

1. Extrem niedrige Temperaturdrift (≤3urad / °C); Über 8 Stunden Langzeit-Offset-Drift ≤ 30 Urad
2. Extrem hohe Auflösung und Wiederholbarkeit; Auflösung ≤ 1 Urad; Wiederholbarkeit ≤ 2 Urad
3. Super hohe Geschwindigkeit:
PSH10: 17 m / s
PSH14: 15 m / s
PSH20: 12 m / s
PSH30: 9 m / s


CARMAN HAAS
QCW laser output (QBH available)
Laser connection (QBH available)
Galvo Scanner
Reflector Mirror
F Theta Scan Lens

CARMAN HAAS

CARMAN HAAS

CARMAN HAAS

CARMAN HAAS

Technische Parameter:

Model	PSH10	PSH14-H	PSH20-H	PSH30-H
Input laser power (MAX.)	CW: 1000W @ fiber laser Pulsed: 150W @ fiber laser	CW: 1000W @ fiber laser Pulsed: 500W @ fiber laser	CW: 3000W @ fiber laser Pulsed: 1500W @ fiber laser	CW: 1000W @ fiber laser Pulsed: 150W @ fiber laser
Water cool/sealed scan head	NO	yes	yes	yes
Aperture (mm)	10	14	20	30
Effective Scan Angle	±10°	±10°	±10°	±10°
Tracking Error	0.13 ms	0.19 ms	0.28ms	0.45ms
Step Response Time(1% of full scale)	≤ 0.27 ms	≤ 0.4 ms	≤ 0.6 ms	≤ 0.9 ms
Typical Speed				
Positioning / jump	< 157 m/s	< 15 m/s	< 12 m/s	< 9 m/s
Line scanning/raster scanning	< 12 m/s	< 10 m/s	< 7 m/s	< 4 m/s
Typical vector scanning	< 5 m/s	< 4 m/s	< 3 m/s	< 2 m/s
Good Writing quality	900 cps	700 cps	450 cps	260 cps
High writing quality	700 cps	550 cps	320 cps	180 cps
Precision				
Linearity	99.9%	99.9%	99.9%	99.9%
Resolution	≤ 1 urad	≤ 1 urad	≤ 1 urad	≤ 1 urad
Repeatability	≤ 2 urad	≤ 2 urad	≤ 2 urad	≤ 2 urad
Temperature Drift				
Offset Drift	≤ 3 urad/℃	≤ 3 urad/℃	≤ 3 urad/℃	≤ 3 urad/℃
Qver 8hours Long-Term Offset Drift （After 15min warn-up）	≤ 30 urad	≤ 30 urad	≤ 30 urad	≤ 30 urad
Operating Temperature Range	25℃±10℃	25℃±10℃	25℃±10℃	25℃±10℃
Signal Interface	Analog: ±10V Digital: XY2-100 protocol	Analog: ±10V Digital: XY2-100 protocol	Analog: ±10V Digital: XY2-100 protocol	Analog: ±10V Digital: XY2-100 protocol
Input Power Requirement (DC)	±15V@ 4A Max RMS	±15V@ 4A Max RMS	±15V@ 4A Max RMS	±15V@ 4A Max RMS

Hinweis:
(1) Alle Winkel sind in mechanischen Graden angegeben.
(2) Mit F-Theta-Objektiv f = 163 mm. Der Geschwindigkeitswert variiert entsprechend mit unterschiedlichen Brennweiten.
(3) Einzelstrichschrift mit 1 mm Höhe.

MechanischAbmessungen (mm):






BEFORE
AFTER



BEFORE AFTER

BEFORE AFTER

BEFORE AFTER

BEFORE AFTER

Fabrik

TRIOPTICS OptiSpheric 2000 AF

---Testing EFL、R、Centering Error、Wedge Angle、BFL、MTF



PerkinElmer Lambda 950---Testing Transmission and Reflectivity

Carmanhaas Coating Machine

Zertifikat & Ausstellung

CERTIFICATE

ATIESTATION
CERTIFICATE OF MACHINERY AND LOW VOLTAGE DIRECTIVES

Technical file of the company mentioned below has been observed and audit has been completed successfully. 2006/42/EC Machinery Directive and 2014/ 35/EU Low Voltage Directive have been taken as references for these processes

Company Name	: **Carman HAAS Laser Technology (Suzhou) Co., Ltd.**
Company Address	: No 155, West Road Suhong, Suzhou Industrial Park, Suzhou City, Jiangsu , P.R.China
Related Directives and Annex	: **Low Voltage Directive 2014/35/EU** **Machinery Directive 2006/42/EC**
Related Standards	: **EN ISO 12100:2010; EN 60204-1:2006+A1:2009+AC:2010**
Product Name	: **Laser Marking Machine**
Report No and Date	: SD-90049717;09.08.2018
Product Brand/Model/Type	: LMCH-3W,LMCH-5W,LMCH-10W,LMCH-15W,LMCH-20W,LMCH-25W, LMCH-30W,LMCH-50W,LMCH-60W,LMCH-70W,LMCH-100W, LMCH-120W,LMCH-150W,LMCH-200W,LMCH-300W,LMCH-500W
Certificate Number	: **M.2018.201.N6073**
Initial Assessment Date	: 10.08.2018
Registration Date	: 13.08.2018
Reissue Date/No	:
Expiry Date	: **12.08.2023**

UDEM International Certification Auditing Training Centre Industry and Trade Inc. Co.

The validity of the certificate can be checked through www.udem.com.tr. The CE mark shown on the right can only be used under the responsibility of the manufacturer with the completion of EC Declaration of Conformity for all the relevant Directives. This certificate remains the property of UDEM International Certification Auditing Training Centre Industry and Trade Inc. Co. to whom it must be returned upon request. The above named firm must keep a copy of this certificate for 15 years from the registration of certificate. This certificate only covers the product(s) stated above and UDEM must be noticed in case of any changes on the product(s)

Address: Mutlukent Mahallesi 2073 Sokak (Eski 93 Sokak) No:10 Çankaya – Ankara – TURKEY
Phone: +90 0312 443 03 90 **Fax:** +90 0312 443 03 76
E-mail: info@udemltd.com.tr www.udem.com.tr

ISO 9001

Certificate of Approval

Certificate No.: 10119Q12565R0M

Awarded to

Carman Haas Laser Technology(SuZhou) Co., Ltd.

Organization Code Certificate No. / Unified Social Credit Code:91320594MA1MF4EP56
Add.:No.155, West Road Suhong, Suzhou Industrial Park, Suzhou City, Jiangsu Province, P.R. China. 215000

Beijing ZhongLianTianRun Certification Center (ZLTR) certify that the Quality Management System of the above organization has been assessed and found to be in accordance with the requirements of the standard:

GB/T19001-2016 / ISO9001:2015

SCOPE OF CERTIFICATION/REGISTRATION

The Research and Development and Production of Optics Lenses (Except the limits of national laws and regulations.)

This certificate is made valid when used with certification scopes and the requirements of applicable laws and regulations. These requirements include, but are not limited to, administrative permits, scopes of qualifications, and CCC requirements.
Subject to operation conditions in requirements conformity with Quality Management System,
This Certificate is valid for a period of three years only,
Date from: Mar 13th,2019 To: Mar 12th,2022
The effectiveness of this Certificate shall be Validated by periodic surveillance audit of ZLTR for maintenance.
Information of this certificate can be found on the official website of Beijing Zhonglian Tianrun Certification center (http://www.zltr.com.cn)

SCC Accredited CB-MS OCSM Accredited CCN

ISSUED BY

Beijing Zhongliantianrun Certification Center
Room2603, 22nd Floor, 2nd Unit, Block 1, No.4 Yard, Qiyang Road, Chaoyang District, Beijing, P.R. China 100102
Information of this certificate can be found on the official website of Certification and Accreditation Administration of the People's Republic of China (http://www.cnca.gov.cn)

ISO 9001

慕尼黑上海光博会
LASER PHOTONICS CHINA
LASER PHOTONICS
Messe München
LASER PHOTONICS INDIA
卡门哈斯

SERIGRAFIA
SIGN
FUTURETEXTIL
Brazil
CARMAN HAAS LASER 1-121
CARMAN HAAS Laser
Technology (Suzhou) Co., Ltd.
4I16
Laser Korea 2019

MAKTEK
eurasia
Turkey
SIGNiSTANBUL
PEKLAMA
Russia
RAYLOGIC
YAROV
INTERNATIONAL PAVILION
CARMAN HAAS LASER
L-46
CARMAN HAAS LASER TECHNOLOGY CO., LTD.

Packliste

Rücknahmegarantie:

Sollten Rücksendungen erforderlich sein:

Schritt 1) Kontaktieren Sie uns mit dieser Website-E-Mail.
Schritt 2) Geben Sie so viele Details wie möglich über das Problem an, das Sie haben.
Schritt 3) Die Genehmigung zur Rücksendung des Artikels wird erteilt.
Schritt 4) Senden Sie den Artikel für den vereinbarten Ersatz oder die Rückerstattung zurück.

Logistik:

(1) Für die Lieferung von Laseroptik-Bestellungen kann dies optional bei DHL, UPS, FedEx, TNT, EMS usw. erfolgen

(2) FürLaserMaschineAuftragLieferung, kannSeinOptionalmitBegriffevonEXWorkFOB, CNF, CIFDurchLuftoderdurchMeerbasierendaufdasKäuferSpediteureoderunsere.

FAQ

Q1.Sind Sie ein Hersteller?

A1: Ja, wir sind professionelle und erfahrene Hersteller mit eigenen Formen und Produktionslinien.

Q2.Wie steht es mit der Qualität der Produkte?

A2: Unsere Techniker und QC-Teams testen die Produkte einzeln mit einer alternden Linie, professionellen Geräten und Instrumenten, um die Qualität aller Produkte sicherzustellen.

Q3.Wie steht es um den Preis?

A3: Wir sind Hersteller und bieten unseren Kunden immer die wettbewerbsfähigsten Preise.

Q4.Wie kann ich eine Bestellung aufgeben?

A4: Nehmen Sie Kontakt mit dem Onlinedienst auf oder senden Sie uns eine E-Mail direkt. Wir werden Ihnen in Kürze mit Produktpreis, technischen Daten, Verpackung usw. antworten. Danke dir.

F5.Kann ich Material senden, um die Markierungsleistung zu testen?

A5: Ja! Sie können gerne Material senden, um unsere überlegene Qualität und unseren Service zu testen.

Q6.Kann ich Ihre Fabrik besuchen?

A6: Ja, Sie können unsere Fabrik jederzeit besuchen.

F7.Wie kann ich OEM- oder ODM-Bestellungen aufgeben?

A7: Wir haben unterschiedliche Druckverarbeitungen für unterschiedliche OEM / ODM-Ordnungeners. Bitte kontaktieren Sie uns per Online-Service oder senden Sie uns direkt eine E-Mail.

Q8. Wie soll ich meine Bestellungen bezahlen?

A8: Sie können per T / T bezahlen, wenn für jede Bestellung eine qualifizierte Bank und ein MOQ erforderlich sind.