



CARMAN HAAS







CARMAN HAAS



□□□□□ □□□□□:

Part Description	Focal Length (mm)	Clear Aperture (mm)	NA	Coating
CL2-(900-1090)-30-F60-QBH-A-WC	60	28	0.22	AR/AR@1030-1090nm
CL2-(900-1090)-30-F75-QBH-A-WC	75	28	0.17	AR/AR@1030-1090nm
CL2-(900-1090)-30-F100-QBH-A-WC	100	28	0.13	AR/AR@1030-1090nm
CL2-(900-1090)-30-F125-QBH-A-WC	125	28	0.1	AR/AR@1030-1090nm
CL2-(900-1090)-30-F150-QBH-A-WC	150	28	0.09	AR/AR@1030-1090nm
CL2-(900-1090)-38-F75-QBH-A-WC	75	34	0.22	AR/AR@1030-1090nm
CL2-(900-1090)-38-F100-QBH-A-WC	100	34	0.16	AR/AR@1030-1090nm
CL2-(900-1090)-38-F125-QBH-A-WC	125	34	0.13	AR/AR@1030-1090nm
CL2-(900-1090)-38-F135-QBH-A-WC	135	34	0.12	AR/AR@1030-1090nm
CL2-(900-1090)-38-F150-QBH-A-WC	150	34	0.11	AR/AR@1030-1090nm
CL2-(900-1090)-38-F200-QBH-A-WC	200	34	0.08	AR/AR@1030-1090nm




激光3D打印光学元器件

Optics and optical system for laser 3D printing

SLM整套光学系统


SLS整套光学系统

SLA光学元器件



动力电池激光加工光学元器件

Optics and optical system for laser processing on power battery



激光焊接光学元器件

Optics and optical system for fiber laser welding




激光清洗光学元器件

Optics and optical system for fiber laser cleaning





TRIOPTICS OptiSpheric 2000 AF
---Testing EFL, R, Centering Error, Wedge Angle, BFL, MTF



PerkinElmer Lambda 950---Testing Transmission and Reflectivity



Carmanhaas Coating Machine



