

鏡面仕様書

鏡面仕様書

鏡面仕様書	
鏡面仕様書	鏡面仕様書
鏡面仕様書	0.000 "-0.005"
鏡面仕様書	± 0.01 "
鏡面仕様書	3 鏡面仕様書
鏡面仕様書	1 鏡面仕様書
鏡面仕様書	10-5
鏡面仕様書 (鏡面仕様書)	≥90%
鏡面仕様書 鏡面仕様書 (鏡面仕様書) 鏡面仕様書	<1.0%

鏡面仕様書

鏡面仕様書	
鏡面仕様書 AR 鏡面仕様書 @ 1070nm	
鏡面仕様書	<30PPM
鏡面仕様書	> 99.9%
鏡面仕様書 AR / AR 鏡面仕様書 @ 1070nm	
鏡面仕様書	<10PPM
鏡面仕様書	> 99.9%


鏡面仕様書 Collimating 鏡面仕様書

鏡面仕様書 (鏡面仕様書)	鏡面仕様書 (鏡面仕様書)	鏡面仕様書
---------------	---------------	-------

25.4	75	□□□ / □□□ @ 1030-1090nm
25.4	100	□□□ / □□□ @ 1030-1090nm
28	75	□□□ / □□□ @ 1030-1090nm
28	100	□□□ / □□□ @ 1030-1090nm
30	75	□□□ / □□□ @ 1030-1090nm
30	100	□□□ / □□□ @ 1030-1090nm
37	100	□□□ / □□□ @ 1030-1090nm

□□□□ □□□□ **Collimating** □□□□:

□□□□ (□□□□)	□□□□ □□□□ (□□□□)	□□□
25.4	125	□□□ / □□□ @ 1030-1090nm
28	125	□□□ / □□□ @ 1030-1090nm
30	125	□□□ / □□□ @ 1030-1090nm
30	150	□□□ / □□□ @ 1030-1090nm
30	200	□□□ / □□□ @ 1030-1090nm
37	150	□□□ / □□□ @ 1030-1090nm
37	200	□□□ / □□□ @ 1030-1090nm
38.1	300	□□□ / □□□ @ 1030-1090nm



光纤切割头光路示意图
Figure of Fiber Cutting Head





TRIOPTICS OptiSpheric 2000 AF
---Testing EFL, R, Centering Error, Wedge Angle, BFL, MTF



PerkinElmer Lambda 950---Testing Transmission and Reflectivity



Carmanhaas Coating Machine



Packaging & Shipping

Packaging 1



Packaging 2



Packaging 3



Shipping 4





□□□□ □□□:

□□□□□ □□□□:

