

MercedeDescrizione:[Espansore del fascio di CO2](#)



Specifica

Categoria parte	Espansione	Ingresso CA	Uscita CA	Diametro alloggiamento	Lunghezza alloggiamento	Filettatura di montaggio
		mm	mm	mm	mm	
BEZ-9.3-C0.7: 60-2.5X	2.5	11.4	17.8	25	60	M22 * 0,75
BEZ-9.3-C0.6: 68-3X	3	11.4	15.2	25	68	M22 * 0,75
BEZ-9.3-C0.6: 70.5-4X	4	11.4	15.2	25	70.5	M22 * 0,75
BEZ-9.3-C1.06: 75.65-6X	6	11.4	27	36	75.7	M22 * 0,75
BEZ-10.6-C0.8: 33,5-1,5X	1.5	11.4	20.3	27	33.5	M22 * 0,75
BEZ-10.6-C0.6: 46.5-2X	2	11.4	15.2	25	46.5	M22 * 0,75
BEZ-10.6-C0.6: 57,5-2,5X	2.5	11.4	15.2	25	57.5	M22 * 0,75
BEZ-10.6-C0.6: 64,5-3X	3	11.4	15.2	25	64.5	M22 * 0,75
BEZ-10.6-C1.13: 55-3.5X	3.5	11.4	26.2	36	55	M22 * 0,75
BEZ-10.6-C0.6: 70,5-4X	4	11.4	15.2	25	70.5	M22 * 0,75
BEZ-10.6-C0.7: 72-5X	5	11.4	17.8	25	72	M22 * 0,75
BEZ-10.6-C0.96: 75,75-6X	6	11.4	24.4	32	75.8	M22 * 0,75
BEZ-10.6-C0.99: 72-7X	7	11.4	25.1	32	72	M22 * 0,75
BEZ-10.6-C0.96: 71-8X	8	11.4	24.4	32	71	M22 * 0,75
BEZ-10.6-C1.06: 37-2X-A	2	13.5	26.9	37	37	M22 * 0,75
BEZ-10.6-C1.06: 62.2-2.5X-A	2.5	13.5	26.9	37	62.2	M22 * 0,75
BEZ-10.6-C1.06: 64.2-3X-A	3	13.5	26.9	37	64.2	M22 * 0,75
BEZ-10.6-C0.6: 70.5-4X-A	4	11.4	15.2	25	70.5	M22 * 0,75

DettaglioImmagine


Detail Image



AziendaInformazione



TRIOPTICS OptiSpheric 2000 AF
---Testing EFL, R, Centering Error, Wedge Angle, BFL, MTF



PerkinElmer Lambda 950---Testing Transmission and Reflectivity



Carmanhaas Coating Machine

CommercioSpettacoli

