## Descrizione del prodotto:

Carmanhaas Is. **Porcellana Produttore professionale della finestra della protezione rotonda dello znse** A nostra offerta buona macchina per la marcatura laser performance e le lenti ZNSE all'ingrosso. ZNSE è comunemente utilizzato nelle applicazioni di resistenza termica. ZNSE ha un ampio utilizzo in sistemi laser ad alta potenza CO2.

Silicon, Germanio, Gai e Znse sono tre materiali IR popolari e utili. SI può essere utilizzato da 1,2 a 7 um. Ha prestazioni di picco nella regione da 3 a 5 um. GE è ideale per l'applicazione di imaging termica ed è popolare per il suo alto indice di rifrazione a circa 4,0 da 2 a 14um.

Clicca su Porcellana Lenti Znse all'ingrosso per maggiori informazioni

Specifica:

| P/N | Diameter | | Thickness | | Material |
|---|---|---|---|---|---|
| | mm | inch | mm | inch | |
| W-10.6-12-2 | 12 | 0.47 | 2 | 0.08 | Znse |
| W-10.6-12-3 | 12 | 0.47 | 3 | 0.12 | Znse |
| W-10.6-12.7-2 | 12.7 | 0.5 | 2 | 0.08 | Znse |
| W-10.6-12.7-2.5 | 12.7 | 0.5 | 2.5 | 0.1 | Ge |
| W-10.6-15-2 | 15 | 0.59 | 2 | 0.08 | Znse |
| W-10.6-16-3 | 15 | 0.59 | 3 | 0.12 | Znse |
| W-10.6-15-4 | 16 | 0.63 | 3 | 0.12 | Znse/Ge |
| W-10.6-15.2-3 | 15.2 | 0.6 | 3 | 0.12 | Znse |
| BRW-10.6-18-2 | 18 | 0.71 | 2 | 0.08 | Ge |
| W-10.6-18-3 | 18 | 0.71 | 3 | 0.12 | Znse |
| W-10.6-19-2 | 19 | 0.75 | 2 | 0.08 | Znse/Ge |
| W-10.6-19-3 | 19 | 0.75 | 3 | 0.12 | Znse |
| W-10.6-20-2 | 20 | 0.79 | 2 | 0.08 | Znse/Ge |
| BRW-10.6-20-3 | 20 | 0.79 | 3 | 0.12 | Ge |
| W-10.6-23-3 | 23 | 0.91 | 3 | 0.12 | Znse/Ge |
| W-10.6-25-3C | 25 | 0.98 | 3 | 0.12 | Znse/Ge |
| W-10.6-25-4 | 25 | 0.98 | 3 | 0.12 | Chinese Znse |
| W-10.6-25.4-3 | 25.4 | 1 | 3 | 0.12 | Znse |
| W-10.6-27.9-3 | 27.9 | 1.1 | 3 | 0.12 | Znse |
| W-D29.8-T11 | 29.8 | 1.17 | 11 | 0.43 | Znse/Ge |
| BRW-10.6-30-3 | 30 | 1.18 | 3 | 0.12 | Ge |
| W-10.6-38.1-3 | 38.1 | 1.5 | 3 | 0.12 | Znse |
| W-10.6-38.1-4 | 38.1 | 1.5 | 4 | 0.16 | Znse |
| BRW-10.6-38.1-5 | 38.1 | 1.5 | 5 | 0.2 | Ge |
| W-10.6-50.8-3 | 50.8 | 2 | 3 | 0.12 | Znse |
| W-10.6-50.8-4 | 50.8 | 2 | 4 | 0.16 | Znse |
| W-10.6-50.8-5 | 50.8 | 2 | 5 | 0.2 | Znse |
| BRW-10.6-63.5-4 | 63.5 | 2.5 | 4 | 0.16 | Ge |
| W-10.6-63.5-5 | 63.5 | 2.5 | 5 | 0.2 | Znse |
| W-10.6-63.5-6 | 63.5 | 2.5 | 6 | 0.24 | Znse |
| W-10.6-63.5-6 | 63.5 | 2.5 | 6 | 0.24 | Znse |
| BRW-10.6-63.5-9 | 63.5 | 2.5 | 9 | 0.35 | Ge |
| W-10.6-75-5 | 75 | 2.95 | 5 | 0.2 | Znse |
| W-10.6-75-6 | 75 | 2.95 | 6 | 0.24 | Znse |
| W-10.6-75-8 | 76.2 | 3 | 8 | 0.31 | Znse/Ge |
| BRW-10.6-75-9 | 75 | 2.95 | 9 | 0.35 | Ge |
| W-10.6-80-3C | 80 | 3.15 | 3 | 0.12 | Chinese Znse |
| W-10.6-80-3 | 80 | 3.15 | 3 | 0.12 | Znse |
| W-10.6-80-4 | 80 | 3.15 | 4 | 0.16 | Znse |
| W-10.6-101-5 | 101 | 3.98 | 5 | 0.2 | Znse |
| W-10.6-101-5.5 | 101 | 3.98 | 5.5 | 0.22 | Znse |
| W-10.6-150-10 | 150 | 5.91 | 10 | 0.39 | Znse |

**Note:**

UN.1 pollice = 25,4 mm
B.Personalizzazione per diverse dimensioni.GE, silicio, GAAS sono disponibili anche finestre.

## Pulizia delle lenti:

### Lens Cleaning

**1.For light pollution (dust, fiber particles) were flexible cleaning.**

Using a blowing balloon, Blow off scattered contaminants on the surface of the optical element.

**2.For light pollution (stains, fingerprints) were flexible cleaning.**

Propanol, acetone glue with a cotton swab or alcohol to gently wipe the surface.

**3.For moderately polluted (saliva, oil) in moderate–intensity cleaning.**

Infiltrating distilled white vinegar with a cotton swab, wipe the surface a little pressure.

Factory

卡门哈斯（苏州）
CARMAN HAAS

CARMAN HAAS
企业愿景：致

venfire
zygo
LSXP


重要仪器，
非专人士勿动。
OptiCentric 300
TRIOPTICS



PerkinElmer Lambda 950---Testing Transmission and Reflectivity

# CERTIFICATE

## ATIESTATION
## CERTIFICATE OF MACHINERY AND LOW VOLTAGE DIRECTIVES

Technical file of the company mentioned below has been observed and audit has been completed successfully. 2006/42/EC Machinery Directive and 2014/ 35/EU Low Voltage Directive have been taken as references for these processes

| | |
|---|---|
| Company Name | : **Carman HAAS Laser Technology (Suzhou) Co., Ltd.** |
| Company Address | : No 155, West Road Suhong, Suzhou Industrial Park, Suzhou City, Jiangsu , P.R.China |
| Related Directives and Annex | : **Low Voltage Directive 2014/35/EU**<br>**Machinery Directive 2006/42/EC** |
| Related Standards | : **EN ISO 12100:2010; EN 60204-1:2006+A1:2009+AC:2010** |
| Product Name | : **Laser Marking Machine** |
| Report No and Date | : SD-90049717;09.08.2018 |
| Product Brand/Model/Type | : LMCH-3W,LMCH-5W,LMCH-10W,LMCH-15W,LMCH-20W,LMCH-25W, LMCH-30W,LMCH-50W,LMCH-60W,LMCH-70W,LMCH-100W, LMCH-120W,LMCH-150W,LMCH-200W,LMCH-300W,LMCH-500W |
| Certificate Number | : **M.2018.201.N6073** |
| Initial Assessment Date | : 10.08.2018 |
| Registration Date | : 13.08.2018 |
| Reissue Date/No | : |
| **Expiry Date** | : **12.08.2023** |

UDEM International Certification Auditing Training Centre Industry and Trade Inc. Co.

The validity of the certificate can be checked through www.udem.com.tr. The CE mark shown on the right can only be used under the responsibility of the manufacturer with the completion of EC Declaration of Conformity for all the relevant Directives. This certificate remains the property of UDEM International Certification Auditing Training Centre Industry and Trade Inc. Co. to whom it must be returned upon request. The above named firm must keep a copy of this certificate for 15 years from the registration of certificate. This certificate only covers the product(s) stated above and UDEM must be noticed in case of any changes on the product(s)

**Address:** Mutlukent Mahallesi 2073 Sokak (Eski 93 Sokak) No:10 Çankaya – Ankara – TURKEY
**Phone:** +90 0312 443 03 90 **Fax:** +90 0312 443 03 76
**E-mail:** info@udemltd.com.tr www.udem.com.tr

ISO 9001

# *Certificate of Approval*

Certificate No.: 10119Q12565ROM

*Awarded to*

## Carman Haas Laser Technology(SuZhou) Co., Ltd.

Organization Code Certificate No. / Unified Social Credit Code:91320594MA1MF4EP56
Add.:No.155, West Road Suhong, Suzhou Industrial Park, Suzhou City, Jiangsu Province, P.R. China. 215000

*Beijing ZhongLianTianRun Certification Center (ZLTR) certify that the Quality Management System of the above organization has been assessed and found to be in accordance with the requirements of the standard:*

**GB/T19001-2016 / ISO9001:2015**

SCOPE OF CERTIFICATION/REGISTRATION

**The Research and Development and Production of Optics Lenses (Except the limits of national laws and regulations. )**

*This certificate is made valid when used with certification scopes and the requirements of applicable laws and regulations. These requirements include, but are not limited to, administrative permits, scopes of qualifications, and CCC requirements.*
*Subject to operation conditions in requirements conformity with Quality Management System,*
*This Certificate is valid for a period of three years only,*
***Date from: Mar 13th,2019 To: Mar 12th,2022***
*The effectiveness of this Certificate shall be Validated by periodic surveillance audit of ZLTR for maintenance.*
Information of this certificate can be found on the official website of Beijing Zhonglian Tianrun Certification center (http://www.zltr.com.cn)

SCC Accredited CB-MS
OCSM Accrédité CCN
Accredited CB-MS (Certification Body – Management Systems)

MEMBER OF MULTILATERAL RECOGNITION ARRANGEMENT IAF

Beijing Zhongliantianrun Certification Center ISSUED BY

Beijing Zhongliantianrun Certification Center
Room2603, 22nd Floor, 2nd Unit, Block 1, No.4 Yard, Qiyang Road, Chaoyang District, Beijing, P.R. China 100102
Information of this certificate can be found on the official website of Certification and Accreditation Administration of the People's Republic of China (http://www.cnca.gov.cn)

ISO 9001

## Packing List

## La logistica:

(1) Per la consegna dell'ottica laser, può essere opzionale con DHL, UPS, FedEx, TNT, EMS ecc
(2) Per la consegna dell'ordine della macchina laser, può essere opzionale con termini di EXW, FOB, CNF, CIF in aereo o via mare basato sugli spedizionieri del compratore o il nostro.

## Politica di ritorno:

I rendimenti dovrebbero essere richiesti:
Passaggio 1) Contattaci con questa email del sito web.
Passaggio 2) Fornisci più dettagli possibili sul problema che stai avendo.
Passaggio 3) Autorizzazione per restituire l'articolo verrà emesso.
Passaggio 4) Restituire la voce per la sostituzione o il rimborso concordato.

## FAQ

**Q1. Sei un produttore?**
A1: Sì, siamo produttori professionali ed esperti con i nostri stampi e linee di produzione.

**Q2. Che ne dici di la qualità dei prodotti?**
A2: I nostri technici e i nostri team di controllo qualità testino i prodotti uno per uno utilizzando la linea di invecchiamento, dispositivi professionali e strumenti per garantire la qualità per tutti i prodotti.

**Q3. Che ne dici del prezzo?**
A3: Siamo un produttore e offriamo sempre ai nostri clienti i prezzi più competitivi.

**Q4. Come effettuare un ordine?**
A4: contatto con il servizio online, o inviato un'e-mail direttamente a noi, ti risponderemo con il prezzo del prodotto, le specifiche, l'imballaggio ecc. Presto. Grazie.

**Q5. Posso inviare materiale per testare le prestazioni di marcatura?**
A5: Sì! Siete invitati a inviare materiale per testare la nostra qualità e servizio di qualità superiore.

**Q6. Posso visitare la tua fabbrica?**
A6: Sì, benvenuto a visitare la nostra fabbrica al tuo tempo conveniente.

**Q7. Come posso fare ordini OEM o ODM?**
A7: abbiamo diverse elaborazioni di stampa per diversi ordini OEM / ODM. Vi preghiamo di contattarci con il servizio online o invia direttamente email direttamente.

**Q8. Come dovrei pagare per i miei ordini?**
A8: è possibile pagare con T / T sarebbe disponibile per Bank qualificato e MOQ richiesto per ogni ordine.