

| Single-element CO2 F-Theta lens | | | | | | | |
|---------------------------------|-----------|-----------------|-------------------|---------------------|-------------------------------|-----------------|---------------|
| P/N | Substrate | Scan Field (mm) | Focal Length (mm) | Incident light (mm) | Max. Incident light angle (°) | Wavelength (um) | Diameter (mm) |
| SL1-70*70-100-10.6 | ZnSe | 70*70 | 100 | 14 | 30 | 10.6 | 48 |
| SL-110*110-150-10.6 | ZnSe | 110*110 | 150 | 14 | 30 | 10.6 | 48 |
| SL-140*140-200-10.6 | ZnSe | 140*140 | 200 | 14 | 30 | 10.6 | 48 |
| SL-175*175-250-10.6 | ZnSe | 175*175 | 250 | 14 | 30 | 10.6 | 48 |
| SL-210*210-300-10.6 | ZnSe | 210*210 | 300 | 14 | 30 | 10.6 | 48 |
| SL-300*300-430-10.6 | ZnSe | 300*300 | 430 | 16 | 20 | 10.6 | 48 |
| SL-400*400-590-10.6 | ZnSe | 400*400 | 590 | 16 | 20 | 10.6 | 48 |
| SL-500*500-623-10.6 | ZnSe | 500*500 | 623 | 16 | 22 | 10.6 | 48 |
| SL-600*600-700-10.6 | ZnSe | 600*600 | 700 | 16 | 20 | 10.6 | 48 |
| SL-300*300-450-10.6-D65 | ZnSe | 300*300 | 450 | 28 | 20 | 10.6 | 65 |
| SL-400*400-545-10.6-D65 | ZnSe | 400*400 | 545 | 28 | 20 | 10.6 | 65 |
| SL-500*500-716-10.6-D65 | ZnSe | 500*500 | 716 | 28 | 22 | 10.6 | 65 |
| SL-35*35-100-10.6-D32 | ZnSe | 35*35 | 100 | 10 | 11 | 10.6 | 32 |
| SL-50*50-100-10.6-D32 | ZnSe | 50*50 | 100 | 10 | 15 | 10.6 | 32 |

★The above are about standard products, they can also be custom made. 9.3um also could offer you.





CO2 F-theta Lens

Trade Shows


2014



2015



2016



Packaging & Shipping

Packaging 1



Packaging 2



Packaging 3



Shipping 4



