



Table

Model	Length (mm)	Input CA (mm)	Output CA (mm)	Input Diameter (mm)	Output Diameter (mm)	Mounting
BEZ-9.3-C0.7 : 60-2.5X	2.5	11.4	17.8	25	60	M22 * 0.75
BEZ-9.3-C0.6 : 68-3X	3	11.4	15.2	25	68	M22 * 0.75
BEZ-9.3-C0.6 : 70.5-4X	4	11.4	15.2	25	70.5	M22 * 0.75
BEZ-9.3-C1.06 : 75.65-6X	6	11.4	27	36	75.7	M22 * 0.75
BEZ-10.6-C0.8 : 33.5-1.5X	1.5	11.4	20.3	27	33.5	M22 * 0.75
BEZ-10.6-C0.6 : 46.5-2X	2	11.4	15.2	25	46.5	M22 * 0.75
BEZ-10.6-C0.6 : 57.5-2.5X	2.5	11.4	15.2	25	57.5	M22 * 0.75
BEZ-10.6-C0.6 : 64.5-3X	3	11.4	15.2	25	64.5	M22 * 0.75
BEZ-10.6-C1.13 : 55-3.5X	3.5	11.4	26.2	36	55	M22 * 0.75
BEZ-10.6-C0.6 : 70.5-4X	4	11.4	15.2	25	70.5	M22 * 0.75
BEZ-10.6-C0.7 : 72-5X	5	11.4	17.8	25	72	M22 * 0.75
BEZ-10.6-C0.96 : 75.75-6X	6	11.4	24.4	32	75.8	M22 * 0.75
BEZ-10.6-C0.99 : 72-7X	7	11.4	25.1	32	72	M22 * 0.75
BEZ-10.6-C0.96 : 71-8X	8	11.4	24.4	32	71	M22 * 0.75
BEZ-10.6-C1.06 : 37-2X-A	2	13.5	26.9	37	37	M22 * 0.75
BEZ-10.6-C1.06 : 62.2-2.5X-A	2.5	13.5	26.9	37	62.2	M22 * 0.75
BEZ-10.6-C1.06 : 64.2-3X-A	3	13.5	26.9	37	64.2	M22 * 0.75
BEZ-10.6-C0.6 : 70.5-4X-A	4	11.4	15.2	25	70.5	M22 * 0.75

Table


Detail Image



□□□□



TRIOPTICS OptiSpheric 2000 AF
---Testing EFL. R. Centering Error. Wedge Angle. BFL. MTF



PerkinElmer Lambda 950---Testing Transmission and Reflectivity



Carmanhaas Coating Machine

□□□

