
00 00:




- $(1) \ \square\square\square \ 3D \ \square\square \ \square : Carmanhaas \ 3D \ \square\square \ \square\square \ \square\square\square \ 2D \ \square\square \ \square\square\square \ \square\square\square . \ \square\square, \ \square\square, \ \square\square, \ \square\square \ 3D \ \square\square\square \ \square\square \ \square\square . \ \square\square\square.$

- $(6) \ \Box\Box\Box\Box \ "\Box\Box"\Box\Box \ \Box\Box\Box\Box. \ \Box\Box \ \Box\Box \ \Box\Box\Box\Box \ \Box\Box\Box\Box.$
- (7) 0000 00 00000 0000 0000 00000.



OO OO:

OO OOO OO:





Fiber 3D Galvo Marking system Front dynamic focusing mode

3D Galvo Back View


3D Galvo Side View














00 00 00 00:

P/N	P/N	LMCH-3DF20	LMCH-3DF30	LMCH-3DF50	LMCH-3DF100	
Laser	Laser Output Power	20W	30W	50W	100W	
	Wavelength	1064nm	1064nm	1064nm	1064nm	
	Pulse Energy	1mJ@20kHz	1mJ@30kHz	1mJ@50kHz	1mJ	
	Repeat accuracy	30k-6KKHz	30k-6KKHz	50k-100kHz	20k-200kHz	
	Laser Source Life	>100,000 hours	>100,000 hours	>100,000 hours	>100,000 hours	
Craft	Pointer Laser	633nm or 650nm	633nm or 650nm	633nm or 650nm	633nm or 650nm	
	Marking Area	70x70mm/100x100mm/175x175mm/200x200mm/220x220mm/300x300mm				
	Deepening range	±20mm	±20mm	±20mm	±20mm	
	Marking method	XYZ three-axis dynamic focusing				
	Minimum line width	0.03mm	0.03mm	0.03mm	0.03mm	
Machine	Environmental requirements	Temperature: 10 °C -35 °C Humidity: 5% -75%				
	Input power	220V±10% , 50/60Hz 220V±10% 50HZ or 110V±10% 60HZ				
	cooling method	Air Cooling	Air Cooling	Air Cooling	Air Cooling	
Software	operating system		WINXP/WIN7			
	Support style	True type font, AUTOCAD single line font, custom font				
	File type	PLT/DXF/D	PLT/DXF/DWG/SVG/STL/BMP/JPG/JPEG/PNG/TIF/DST/AI,etc			

















Split Laser Marking Machine



















CERTIFICATE

ATIESTATION CERTIFICATE OF MACHINERY AND LOW VOLTAGE DIRECTIVES

Technical file of the company mentioned below has been observed and audit has been completed successfully. 2006/42/EC Machinery Directive and

2014/35/EU Low Voltage Directive have been taken as references for these processes

Company Name : Carman HAAS Laser Technology (Suzhou) Co., Ltd.

Company Address : No 155, West Road Suhong, Suzhou Industrial Park, Suzhou City,

Jiangsu, P.R.China

Related Directives and Annex : Low Voltage Directive 2014/35/EU

Machinery Directive 2006/42/EC

Related Standards : EN ISO 12100:2010; EN 60204-1:2006+A1:2009+AC:2010

Product Name : Laser Marking Machine

Report No and Date : SD-90049717;09.08.2018

Product Brand/Model/Type : LMCH-3W,LMCH-5W,LMCH-10W,LMCH-15W,LMCH-20W,LMCH-25W,

> LMCH-30W,LMCH-50W,LMCH-60W,LMCH-70W,LMCH-100W, LMCH-120W,LMCH-150W,LMCH-200W,LMCH-300W,LMCH-500W

Certificate Number : M.2018.201.N6073

Initial Assessment Date : 10.08.2018 Registration Date : 13.08.2018

Reissue Date/No

Expiry Date : 12.08.2023 Certification

Auditing Training Centre Industry

and Trade Inc. Co

The validity of the certificate can be checked through www.udem.com.tr. The CE mark shown on the right can only be used under the responsibility of the manufacturer with the completion of EC Declaration of Conformity for all the relevant Directives. This certificate remains the property of UDEM International Certification Auditing Training Centre Industry and Trade Inc. Co. to whom it must be returned upon request. The above named firm must keep a copy of this certificate for 15 years from the registration of certificate. This certificate only covers the product(s) stated above and UDEM must be noticed in case of any changes on the product(s)

Address: Mutlukent Mahallesi 2073 Sokak (Eski 93 Sokak) No:10 Çankaya - Ankara - TURKEY

Phone: +90 0312 443 03 90 **Fax:** +90 0312 443 03 76 E-mail: info@udemltd.com.tr www.udem.com.tr







Certificate of Approval

Certificate No.: 10119Q12565R0M

Awarded to

Carman Haas Laser Technology(SuZhou) Co., Ltd.

Organization Code Certificate No. / Unified Social Credit Code:91320594MA1MF4EP56 Add.:No.155, West Road Suhong, Suzhou Industrial Park, Suzhou City, Jiangsu Province, P.R. China. 215000

Beijing ZhongLianTianRun Certification Center (ZLTR) certify that the Quality Management System of the above organization has been assessed and found to be in accordance with the requirements of the standard:

GB/T19001-2016 / ISO9001:2015

SCOPE OF CERTIFICATION/REGISTRATION

The Research and Development and Production of Optics Lenses (Except the limits of national laws and regulations.)

This certificate is made valid when used with certification scopes and the requirements of applicable laws and regulations. These requirements include, but are not limited to, administrative permits, scopes of qualifications, and CCC requirements.

Subject to operation conditions in requirements conformity with Quality Management System,

This Certificate is valid for a period of three years only,

Date from: Mar 13th,2019 To: Mar 12th,2022

The effectiveness of this Certificate shall be Validated by periodic surveillance audit

of ZLTR for maintenance.

Information of this certificate can be found on the official website of Beijing Zhonglian Tianrun
Certification center (http://www.zltr.com.cn)



ISO 9001





Beijing Zhongliantianrun Certification Center Room 2603, 22nd Floor, 2nd Unit, Block 1, No. 4 Yard, Qiyang Road, Chaoyang District, Beijing, P.R. China 100102

Accessories(free)







P / N				
	000 00 00		1 □□	

1	0 000		1 🖂
2	CD[][EzCard		1 🔲
		EU / 🕮 / 🕮 🕮	1 🖂
4			1 🔲
5		30 🖂 🖂 🖂	1 🔲
6			1 🔲
7		1064nm	1 🔲



	113x85x173cm
00 000	300
00 00	

□□ □□ **:**

000 000 00000 **1** 0 0 00 00 0 **2** 0 000 00 00 00 00

- $1 \ 00)0 \ 0 \ 000 \ 0000 \ 00000.$
- 3 00) 00 000 00000.

0000 00:

Q2. _____?

Q3. [][] [][]?

Q4. [][][] []?

Q5. 00 000 00000 00 000 00 0 0000?

Q6. 000 00 0 0 0000?

Q7. OEM [] **ODM** [] [] [] [] [] []?

Q8. 00 000 000 000000?

OO OO:

- $(1) \ \square\square\square \ \square\square \ \square\square \ \square\square \ \square\square \ DHL, \ UPS, \ FedEx, \ TNT, \ EMS \ \square\square\square \ \square\square \ \square\square \ \square \ \square \ \square\square\square.$