

□□ □□ :

□□ □□ □□ □ □□□ □□□ (□□ □□□□ □□ □□ □□ □□ □□)

□□ A :

28mm (OEM Precitec P0571-1051-00001)

□□ □□ : 28 / 24.5mm □□ : 12mm

□□ B :

28mm (OEM Precitec P0571-260-00001)

□□ □□ : 28 / 24.5mm □□ : 12mm

□□ C :

32mm (OEM Raytools BT240 / BM109)

□□ □□ : 32 / 28.5mm □□ : 12mm

□□ □□ :

□□ □□□, □□□□ □□, □ □□

□□□ □□ □□, □□□ □□□, □□□□




□□□□ □□, □□ □□



Features

Complete specifications, Spot sale.
 Long life time, Not easy to crack, Not easily stained with ash.
 Low Loss Anti-reflectanc, High Efficiency.
 CNC milling and turning, drilling, grinding, tapping, high accuracy and small error.
 100% inspection before shipment, quality assurance.

Product Details



Precitec A

Precitec B


Precitec C

Precitec D

Precitec D



PRODUCT SPECIFICATIONS




PACKAGING



□□ □□ □□ □□ □□ □□:


□□ (mm)	□□ (mm)	□	□□□ (mm)
28	15	□□	1.0 / 1.2 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0
28	15	□□	1.0 / 1.2 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0
32	15	□□	1.0 / 1.2 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0
32	15	□□	1.0 / 1.2 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 / 5.0
10.7	22.2	□□	1.0 / 1.2 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0
10.7	22.2	□□	1.0 / 1.2 / 1.5 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0
11.4	16	/	0.8 / 1.0 / 1.2 / 1.5 / 2.0 / 2.5
15	19	□□	1.0 / 1.2 / 1.5 / 2.0 / 2.5 / 3.0
15	19	□□	0.8 / 1.0 / 1.2 / 1.5 / 1.8 / 2.0 / 2.5 / 3.0



光纤切割头光路示意图
Figure of Fiber Cutting Head



TRIOPTICS OptiSpheric 2000 AF
---Testing EFL, R, Centering Error, Wedge Angle, BFL, MTF



PerkinElmer Lambda 950---Testing Transmission and Reflectivity



Carmanhaas Coating Machine



Packaging & Shipping

Packaging 1



Packaging 2




Packaging 3



Shipping 4





□□□ □□□ □□ :

- 1 □□)□ □ □□□ □□□□ □□□□□□.
- 2 □□) □□□□ □□□ □□ □□□ □ □□□ □□□□□□.
- 3 □□) □□ □□ □□□ □□□□□.
- 4 □□) □□ □ □□ □□ □□□ □□ □□□ □□□□□□.

□□ □□:

- (1) □□□ □□ □□ □□, □□ DHL, UPS, □□□, TNT, EMS □
- (2) □□□ □□ □□ □□, □□ EXEX, FOB, CNF, CIF □□ □□ □□ □□□□ forwar ders □□ □□□.



Q1. □□□□□□?

A1 : □□□□□, □□□ □□□ □□□ □ □ □□ □□□ □□ □□□□□ □□□□□□.

Q2. □□□ □□□ □□?

A2 : □□□ □□□□ QC □□ □□ □□□ □□□ □□ □□ □□, □□ □□ □ □□□□ □□□□ □□□ □□□□□□.

Q3. □□□ □□?

A3 : □□□ □□□□□ □□ □□□ □□□□ □□ □□ □□□ □□□□□.

Q4. □□□□ □□?

A4 : □□□ □□□, □□ □□□□ □□ □□□□ □□, □□□ □ □□ □□, □□, □□ □. □□□□□.

Q5. □□ □□□ □□□□□ □□ □□□ □□ □ □□□□?

A5 : □□□□□! □□□ □□□ □□□□ □□□□□ □□ □□□ □□ □ □□□□.

Q6. □□□ □□ □ □ □□□□?

A6 : □□□□□, □□□ □□□ □□□ □□ □□□ □□□□ □□.

Q7. □□□ OEM □□ ODM □□?

A7 : □□□ □□ □□ □□ □□ OEM / ODM orders. □□□ □□□□ □□□□□ □□ □□□□ □□□□□□.

Q8. □□ □□□ □□□ □□□□□?

A8 : □□□ □□ T / T □□□ □□□ □□ □ □□□ □ □□.