

**Collimating Lens for
Fiber Cutting Head
D30 F100mm**



**Focusing Lens for
Fiber Cutting Head
D30 F125mm**



Cutting Head full optical parts



□□□ □□□ □□ □□

□□ □□ :

□□□	
□□ □□	□□ □□□
□□ □□	+0.000"-0.005"
□□ □□	± 0.01"
□□ □	□□□ 3 □
□□ □□□□	□□□ 1 □
□□ □□	10-5
□□□ □□□ (□□)	≥90 %
□□ □□ □□ (EFL) □□	<1.0 %

□□ □□ :

□□□	
□□ □□ AR □□ @ 1070nm	
□ □□	<30PPM
□□□	> 99.9 %
□□ □□ AR / AR □□ @ 1070nm	
□ □□	<10PPM
□□□	> 99.9 %



□□ □□□ □□ □□ :

□□ (mm)	□□ □□ (mm)	□□
---------	------------	----

25.4	75	AR / AR @ 1030-1090nm
25.4	100	AR / AR @ 1030-1090nm
28	75	AR / AR @ 1030-1090nm
28	100	AR / AR @ 1030-1090nm
30	75	AR / AR @ 1030-1090nm
30	100	AR / AR @ 1030-1090nm
37	100	AR / AR @ 1030-1090nm

□□ □□□ □□ □□ :

□□ (mm)	□□ □□ (mm)	□□
25.4	125	AR / AR @ 1030-1090nm
28	125	AR / AR @ 1030-1090nm
30	125	AR / AR @ 1030-1090nm
30	150	AR / AR @ 1030-1090nm
30	200	AR / AR @ 1030-1090nm
37	150	AR / AR @ 1030-1090nm
37	200	AR / AR @ 1030-1090nm
38.1	300	AR / AR @ 1030-1090nm



光纤切割头光路示意图
Figure of Fiber Cutting Head



TRIOPTICS OptiSpheric 2000 AF
---Testing EFL, R, Centering Error, Wedge Angle, BFL, MTF



PerkinElmer Lambda 950---Testing Transmission and Reflectivity



Carmanhaas Coating Machine



Packaging & Shipping

Packaging 1



Packaging 2




Packaging 3



Shipping 4





□□ □□ :

□□□ □□□ □□ :

