

Goods Description: [CO2 Beam Expander](#)



### Specification

Part Category	Expansion	Input CA	Output CA	Housing Diameter	Housing Length	Mounting Thread
		mm	mm	mm	mm	
BEZ-9.3-C0.7:60-2.5X	2.5	11.4	17.8	25	60	M22*0.75
BEZ-9.3-C0.6:68-3X	3	11.4	15.2	25	68	M22*0.75
BEZ-9.3-C0.6:70.5-4X	4	11.4	15.2	25	70.5	M22*0.75
BEZ-9.3-C1.06:75.65-6X	6	11.4	27	36	75.7	M22*0.75
BEZ-10.6-C0.8:33.5-1.5X	1.5	11.4	20.3	27	33.5	M22*0.75
BEZ-10.6-C0.6:46.5-2X	2	11.4	15.2	25	46.5	M22*0.75
BEZ-10.6-C0.6:57.5-2.5X	2.5	11.4	15.2	25	57.5	M22*0.75
BEZ-10.6-C0.6:64.5-3X	3	11.4	15.2	25	64.5	M22*0.75
BEZ-10.6-C1.13:55-3.5X	3.5	11.4	26.2	36	55	M22*0.75
BEZ-10.6-C0.6:70.5-4X	4	11.4	15.2	25	70.5	M22*0.75
BEZ-10.6-C0.7:72-5X	5	11.4	17.8	25	72	M22*0.75
BEZ-10.6-C0.96:75.75-6X	6	11.4	24.4	32	75.8	M22*0.75
BEZ-10.6-C0.99:72-7X	7	11.4	25.1	32	72	M22*0.75
BEZ-10.6-C0.96:71-8X	8	11.4	24.4	32	71	M22*0.75
BEZ-10.6-C1.06:37-2X-A	2	13.5	26.9	37	37	M22*0.75
BEZ-10.6-C1.06:62.2-2.5X-A	2.5	13.5	26.9	37	62.2	M22*0.75
BEZ-10.6-C1.06:64.2-3X-A	3	13.5	26.9	37	64.2	M22*0.75
BEZ-10.6-C0.6:70.5-4X-A	4	11.4	15.2	25	70.5	M22*0.75

### Detail Image


## Detail Image



Company Information



**TRIOPTICS OptiSpheric 2000 AF**  
---Testing EFL. R. Centering Error. Wedge Angle. BFL. MTF



**PerkinElmer Lambda 950**---Testing Transmission and Reflectivity



**Carmanhaas Coating Machine**

# Trade Shows

