


## **Product Information**

#### **Product Description:**

With the increasing economic development, the application of stainless steel medium and heavy plates have become more and more extensive. The products manufactured by it are now widely used in construction engineering, machinery manufacturing, container manufacturing, shipbuilding, bridge construction and other industries.

Nowadays, the cutting method of stainless steel thick plate is mainly based on laser cutting, but in order to achieve high-quality cutting results, you need to master certain process skills.

CARMANHAAS **Laser Cutting Head Nozzle Suppliers** teaches you how to choose the right laser nozzle for laser cutting?



#### 1. How to choose Nozzle Layer ?

(1)Single layer laser nozzle is used for melting cutting, that is, nitrogen is used as auxiliary gas, so single layer is used for cutting stainless steel and aluminum plates.

(2)Double-layer laser nozzles are generally used for oxidation cutting, that is, oxygen is used as auxiliary gas, so double-layer laser nozzles are used for carbon steel cutting.


Cutting Type	Auxiliary Gas	Nozzle Layer	Material
Oxidation cutting	Oxygen	Double	Carbon Steel
Fusion(Melting) cutting	Nitrogen	Single	Stainless Steel Aluminum


#### 2. How to choose Nozzle Aperture ?

As we know, nozzles with different apertures are mainly used for cutting plates of different thicknesses. For thin plates, use smaller nozzles, and for thick plates, use larger nozzles.

The nozzle apertures are: 0.8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, etc., and the most used ones are: 1.0, 1.2, 1.5, 2.0, 2.5, 3.0, and the most commonly used are 1.0, 1.5, and 2.0.


Stainless Steel Thickness	Nozzle Aperture (mm)	
< 3mm	1.0-2.0	
3-10mm	2.5-3.0	
> 10mm	3.5-5.0	














PerkinElmer Lambda 950---Testing Transmission and Reflectivity











**Packing List** 

# Packaging & Shipping

Packaging 1









Packaging 2








Shipping 4











## **Return Policy:**

Should returns be required:

Step 1) Contact us with this website email.

Step 2) Provide as much detail as possible about the problem you are having.

Step 3) Authorization to return the item will be issued.

Step 4) Return the item for the agreed replacement or refund.

## Logistics:

(1)For Laser Optics order delivery, can be optional with DHL, UPS, FedEx, TNT, EMS, ets

(2)For Laser machine order delivery, can be optional with terms of EXWork FOB, CNF, CIF By Air or by Sea based on the buyer's forwarders or ours.



#### FAQ

#### Q1.Are you a manufacturer?

A1: Yes, we are professional and experienced <u>China Fiber Laser Cutting Head Nozzle</u> <u>Manufacturer</u> with our own molds and production lines.

#### Q2.How about quality of products?

A2: Our technicians and QC teams test the products one by one using aging line, professional devices and instruments to ensure the quality for all products.

### Q3.How about price?

A3: We are a manufacturer and always offer our customers the most competitive prices.

#### Q4.How to place an order?

A4: Contact with online service, or sent email to us directly, we will reply to you with product price, specifications, packing etc. soon. Thank you.

#### Q5.May I send material to test marking performance?

A5: Yes! You are welcome to send material to test our superior quality and service.

#### **Q6.Can I visit your factory?**

A6: Yes, welcome to visit our factory at your convenient time.

#### Q7.How can I make OEM or ODM orders?

A7: We have different print processing for different OEM/ODM orders. Please contact us with online service or send email to us directly.

#### Q8. How should I pay for my orders?

A8: You can pay by T/T would be available for qualified bank and MOQ required for each order.