

informação do produto

Descrição do Produto:

A máquina de marcação a laser de fibra Carmanhaas adota laser de fibra altamente integrado e galvanômetro de varredura de alta velocidade. A potência de saída é estável, o modo óptico é bom, adequado para marcação fina e precisa; tamanho pequeno, refrigeração a ar total, sem consumíveis, sem manutenção, para atender às necessidades de trabalho contínuo industrial; lasers importados ou nacionais podem ser selecionados de acordo com os requisitos.



[china Máquina de marcação a laser de fibra de mesa fornecedor](#)

Características do produto:

- (1) Marque uma variedade de materiais metálicos e não metálicos.
- (2) Processamento sem contato, sem danos aos produtos, sem desgaste de ferramentas, boa qualidade de marcação;

- (3) A qualidade do feixe é boa, a perda é baixa e a área afetada pelo calor do processamento é pequena.
(4) Alta eficiência de processamento, controle por computador e fácil automação

Indústria de aplicação:

Amplamente utilizado em chaves transparentes de plástico, circuitos integrados (IC), peças de produtos digitais, máquinas de precisão, jóias, louças sanitárias, ferramentas de medição e ferramentas de corte, relógios e óculos, componentes eletrônicos, acessórios de hardware, ferramentas de hardware, componentes de comunicação móvel, auto e acessórios para motocicletas Indústria de identificação de produtos de alta precisão, como produtos de plástico, dispositivos médicos, materiais de construção e tubos.

Materiais aplicáveis:

É adequado para ligas de alta dureza, produtos de galvanoplastia, produtos de revestimento, ABS, resina epóxi, produtos de revestimento de tinta, cerâmica, plásticos de engenharia, etc.





[máquinas de gravação a laser para venda](#)

Technical Parameters:

P/N	LMCH-20	LMCH-30	LMCH-50	LMCH-100
Laser Output Power	20W	30W	50W	100W
Wavelength	1064nm	1064nm	1064nm	1064nm
Beam Quality M2	<1.3	<1.3	<1.3	<1.3
Laser frequency	20kHz~200kHz	30kHz~200kHz	50kHz~200kHz	50kHz~200kHz
Marking Area	100x100~300x300mm	100x100~300x300mm	100x100~300x300mm	100x100~300x300mm
Marking Depth	≤1mm	≤1.5mm	≤2mm	≤2mm
Total Power	800W	800W	800W	800W
Minimum line width	0.03mm	0.04mm	0.05mm	0.06mm
Repeat accuracy	±0.0001mm	±0.0001mm	±0.0001mm	±0.0001mm
Electricity	220±10%, 50/60Hz ,2.5A	220±10%, 50/60Hz ,2.5A	220±10%, 50/60Hz ,2.5A	220±10%, 50/60Hz ,2.5A
Machine Size	76*52*76cm	76*52*76cm	76*52*76cm	76*52*76cm
Cooling system	Air Cooling	Air Cooling	Air Cooling	Air Cooling

Product details

01

Raycus laser source

Raycus' 10~100W Q-switched pulsed fiber lasers feature high peak power, high pulse energy and optional output beam size. They are widely used in marking, precision drilling and engraving on non-metal and high reflection metals, such as gold, silver, aluminum and stainless steel etc..



02

Galvanometer

Galvanometer scanner and beam expander to form a two dimensions scanning system. The scan lens is optimized to provide a flat field image with diffraction-limited spot size in micron scale over the entire scan field.

03

F-theta lens

it have very good laser beam transparent rate, less laser beam loss, longer lifetime than other brand lens
200*200/300*300mm lens could be configured



04

Laser controller card



Laser control card enables real-time control of scan system and lasers over a standard USB host interface. Customers can integrate complete machinery easily over the laser control card due to its compactness and I/O capabilities. Fast response times and short execution cycle times make the EzCad Card perfectly suitable for high performance applications. It can load marking file via a removable MMC memory card.


Marcando amostras



The Kitchenware Industry



The Jewelry Industry



■ The Car Industry



■ Other Industry



Fábrica e certificado





C E R T I F I C A T E

ATTESTATION CERTIFICATE OF MACHINERY AND LOW VOLTAGE DIRECTIVES

Technical file of the company mentioned below has been observed and audit has been completed successfully. 2006/42/EC Machinery Directive and 2014/ 35/EU Low Voltage Directive have been taken as references for these processes

Company Name : **Caman HAAS Laser Technology (Suzhou) Co., Ltd.**

Company Address : No 155, West Road Suhong, Suzhou Industrial Park, Suzhou City, Jiangsu , P.R.China

Related Directives and Annex : **Low Voltage Directive 2014/35/EU
Machinery Directive 2006/42/EC**

Related Standards : **EN ISO 12100:2010; EN 60204-1:2006+A1:2009+AC:2010**

Product Name : **Laser Marking Machine**

Report No and Date : SD-90049717;09.08.2018

Product Brand/Model/Type : LMCH-3W,LMCH-5W,LMCH-10W,LMCH-15W,LMCH-20W,LMCH-25W,
LMCH-30W,LMCH-50W,LMCH-60W,LMCH-70W,LMCH-100W,
LMCH-120W,LMCH-150W,LMCH-200W,LMCH-300W,LMCH-500W

Certificate Number : **M.2018.201.N6073**

Initial Assessment Date : 10.08.2018

Registration Date : 13.08.2018

Reissue Date/No :

Expiry Date : 12.08.2023


UDEM International Certification
Auditing Training Centre Industry
and Trade Inc. Co.

The validity of the certificate can be checked through www.udem.com.tr. The CE mark shown on the right can only be used under the responsibility of the manufacturer with the completion of EC Declaration of Conformity for all the relevant Directives. This certificate remains the property of UDEM International Certification Auditing Training Centre Industry and Trade Inc. Co. to whom it must be returned upon request. The above named firm must keep a copy of this certificate for 15 years from the registration of certificate. This certificate only covers the product(s) stated above and UDEM must be noticed in case of any changes on the product(s)

Address: Mutlukent Mahallesi 2073 Sokak (Eski 93 Sokak) No:10 Çankaya - Ankara - TURKEY

Phone: +90 0312 443 03 90 **Fax:** +90 0312 443 03 76

E-mail: info@udemltd.com.tr www.udem.com.tr





Certificate of Approval

Certificate No. : 10119Q12565ROM

Awarded to

**Carman Haas Laser Technology(SuZhou)
Co., Ltd.**

Organization Code Certificate No. / Unified Social Credit Code:91320594MA1MF4EP56
Add.:No.155, West Road Suhong, Suzhou Industrial Park, Suzhou City, Jiangsu Province, P.R. China. 215000

*Beijing ZhongLian TianRun Certification Center (ZLTR) certify that the
Quality Management System of the above organization has been assessed and found to be
in accordance with the requirements of the standard:
GB/T19001-2016 / ISO9001:2015*

SCOPE OF CERTIFICATION/REGISTRATION

**The Research and Development and Production of Optics Lenses (Except the limits of
national laws and regulations.)**

*This certificate is made valid when used with certification scopes and the requirements of applicable
laws and regulations. These requirements include, but are not limited to, administrative permits,
scopes of qualifications, and CCC requirements.*

Subject to operation conditions in requirements conformity with Quality Management System,

This Certificate is valid for a period of three years only,

Date from: Mar 13th,2019 To: Mar 12th,2022

*The effectiveness of this Certificate shall be Validated by periodic surveillance audit
of ZLTR for maintenance.*

Information of this certificate can be found on the official website of Beijing Zhonglian Tianrun
Certification center (<http://www.zltr.com.cn>)



Beijing Zhongliantianrun Certification Center

Room2603, 22nd Floor, 2nd Unit, Block 1, No.4 Yard, Qiyang Road, Chaoyang District, Beijing, P.R. China 100102

Information of this certificate can be found on the official website of Certification and Accreditation Administration of the People's Republic of China (<http://www.cnca.gov.cn>)

ISO 9001

ISO 9001

Detalhes de empacotamento

Detalhes de empacotamento	Um conjunto em uma caixa de madeira
Tamanho único pacote	80x90x58cm
Peso bruto único	90Kg
Tempo de entrega	Enviado em 2 dias após o recebimento do pagamento integral





Lista de embalagem:

Nome do item		Quantidade
Máquina de marcação a laser	Carmanhaas	1 conjunto
Corpo da máquina	ÁREA DE TRABALHO	
Pé Interruptor		1 conjunto
Cabo de alimentação CA (opcional)	UE / EUA / Padrão Nacional	1 conjunto
Ferramenta chave		1 conjunto
Régua de 30cm		1 pedaço
Manual do usuário		1 pedaço
Googles de proteção a laser	1064nm	1 pedaço