Descrição do Produto

Metal de impressão 3D A fabricação aditiva refere-se ao uso de software para decompor um objeto 3D em muitas camadas transversais, e o laser derrete a camada de material por camada de acordo com os gráficos de camada decompostos e, em seguida, solidifica. Formar o padrão de corte transversal necessário em cada camada. Após a camada empilhada pela camada, os objetos 3D necessários são formados. Incluir principalmente o módulo QBH, expansor de feixe, scanner de Galvo e lentes de varredura F-Theta.

O módulo de colimação QBH realiza a conversão de vigas laser divergentes em vigas paralelas (para reduzir o ângulo de divergência), o Galvo Scanner realiza deflexão e digitalização do feixe, e a lente de varredura F-Theta percebe a varredura uniforme e a focalização do feixe.

SLA Optical System fornecedor China

produtosVantagem:

Vantagem

(1) A lente óptica pode assegurar que a arredondamento seja maior que 93% na faixa de 1,5 vezes o comprimento agudo;

(2) A lente adota quartzo de absorção ultra-baixa importada,

Absorção de revestimento <20ppm. O limiar de dano de filme é 50J / cm2, que pode suportar o modo único de 2000W;

(3) o tamanho do ponto focal é superior a 95% em todo o quadro;

(4) Design otimizado para colimação do laser de modo único para garantir a influência de todo o sistema óptico em M2 <0,04.

[China SLS Optical System fabricante]

Especificações do produto:

SLM - Metal Impressão 3D

Part Description	Focal Length (mm)	Scan Field (mm)	Entrance Pupil (mm)	Working Distance(mm)	Mounting Thread
SL-(1030-1090)-170-254-(20CA)-WC	254	170x170	20	290	M85x1
SL-(1030-1090)-170-254-(15CA)-M79*1	254	170x170	15	327	M79x1
SL-(1030-1090)-290-430-(15CA)	430	290x290	15	529.5	M85x1
SL-(1030-1090)-275-430-(20CA)	430	275x275	20	529.5	M85x1
SL-(1030-1090)-254-420-(20CA)	420	254x254	20	510.9	M85x1
SL-(1030-1090)-410-650-(20CA)-WC	650	410x410	20	560	M85x1
SL-(1030-1090)-440-650-(20CA)-WC	650	440x440	20	554.6	M85x1

*** WC é para resfriamento de água**

SLS - impressão 3D não metal

Part Description	Focal Length (mm)	Scan Field (mm)	Entrance Pupil (mm)	Working Distance(mm)	Mounting Thread
SL-10.6-250-360	360	250x250	14/20	352.9	M85x1
SL-10.6-300-430	430	300x300	14/20	414.7	M85x1
SL-10.6-400-565	565	400x400	14/20	536.5	M85x1

SLA - Impressão 3D UV

Part Description	Focal Length (mm)	Scan Field (mm)	Entrance Pupil (mm)	Working Distance(mm)	Mounting Thread
SL-355-530-750	750	520x520	10	824.4	M85x1
SL-355-610-840-(15CA)	840	610x610	15	910	M85x1
SL-355-800-1090-(18CA)	1090	800x800	18	1193	M85x1





SELECTIVE LASER MELTING (SLM)

Pros and Cons



ZRPA12 (PA12 Nylon Powder)



PHYSICAL CHARACTERISTICS	Grain Size: 50~55μm Shape: Spherical Apparent density: ≥0.40 g/cm³
THERMAL PROPERTY	Melting Point: 182~185℃ (10℃/min) Melting Enthalpy: ≥90 J/g HDT: 83.8℃ @1.8MPa / 146.1℃ @0.45MPa
MOLDING PERFORMANCE	Density: 0.97 g/cm³ Tensile Modulus: 1600 MPa Tensile Strength: 43 MPa Elongation at break: ≥15 % Un-notched Impact Strength: 20.7 KJ/m² Notched Impact Strength: 3.8 KJ/m² Bending Modulus: 1432 MPa Bending Strength: 57 MPa

ZRTPU (Thermoplastic Polyurethanes Powder)

PHYSICAL CHARACTERISTICS	Grain Size: 60μm Shape: Spherical Apparent density: 0.47 g/cm³
THERMAL PROPERTY	Melting Point: 165℃ HDT Heat deflection temperature: -25℃
MOLDING PERFORMANCE	Density: 1.15 g/cm³ Tensile Modulus: 61 MPa Tensile Strength: 21 MPa Elongation at break: 310 % Tear strength: 101 N/mm Bending Modulus: 74 MPa Bending Strength: 3.3 MPa

Desktop FDM
Industrial FDM
Desktop SLA
Industrial SLA
Industrial SLS

Fábrica

卡门哈斯（苏州）
CARMAN HAAS

CARMAN HAAS

venfire
zygo
LSXP


重要仪器，
非专人士勿动。
OptiCentric 300
TRIOPTICS



PerkinElmer Lambda 950---Testing Transmission and Reflectivity

Certificado e Exposição.

CERTIFICATE

ATIESTATION
CERTIFICATE OF MACHINERY AND LOW VOLTAGE DIRECTIVES

Technical file of the company mentioned below has been observed and audit has been completed successfully. 2006/42/EC Machinery Directive and 2014/ 35/EU Low Voltage Directive have been taken as references for these processes

Company Name	: **Carman HAAS Laser Technology (Suzhou) Co., Ltd.**
Company Address	: No 155, West Road Suhong, Suzhou Industrial Park, Suzhou City, Jiangsu , P.R.China
Related Directives and Annex	: **Low Voltage Directive 2014/35/EU** **Machinery Directive 2006/42/EC**
Related Standards	: **EN ISO 12100:2010; EN 60204-1:2006+A1:2009+AC:2010**
Product Name	: **Laser Marking Machine**
Report No and Date	: SD-90049717;09.08.2018
Product Brand/Model/Type	: LMCH-3W,LMCH-5W,LMCH-10W,LMCH-15W,LMCH-20W,LMCH-25W, LMCH-30W,LMCH-50W,LMCH-60W,LMCH-70W,LMCH-100W, LMCH-120W,LMCH-150W,LMCH-200W,LMCH-300W,LMCH-500W
Certificate Number	: **M.2018.201.N6073**
Initial Assessment Date	: 10.08.2018
Registration Date	: 13.08.2018
Reissue Date/No	:
Expiry Date	: **12.08.2023**

UDEM International Certification Auditing Training Centre Industry and Trade Inc. Co.

The validity of the certificate can be checked through www.udem.com.tr. The CE mark shown on the right can only be used under the responsibility of the manufacturer with the completion of EC Declaration of Conformity for all the relevant Directives. This certificate remains the property of UDEM International Certification Auditing Training Centre Industry and Trade Inc. Co. to whom it must be returned upon request. The above named firm must keep a copy of this certificate for 15 years from the registration of certificate. This certificate only covers the product(s) stated above and UDEM must be noticed in case of any changes on the product(s)

Address: Mutlukent Mahallesi 2073 Sokak (Eski 93 Sokak) No:10 Çankaya – Ankara – TURKEY
Phone: +90 0312 443 03 90 **Fax:** +90 0312 443 03 76
E-mail: info@udemltd.com.tr www.udem.com.tr

ISO 9001

Certificate of Approval

Certificate No.: 10119Q12565R0M

Awarded to

Carman Haas Laser Technology(SuZhou) Co., Ltd.

Organization Code Certificate No. / Unified Social Credit Code:91320594MA1MF4EP56
Add.:No.155, West Road Suhong, Suzhou Industrial Park, Suzhou City, Jiangsu Province, P.R. China. 215000

Beijing ZhongLianTianRun Certification Center (ZLTR) certify that the Quality Management System of the above organization has been assessed and found to be in accordance with the requirements of the standard:

GB/T19001-2016 / ISO9001:2015

SCOPE OF CERTIFICATION/REGISTRATION

The Research and Development and Production of Optics Lenses (Except the limits of national laws and regulations.)

This certificate is made valid when used with certification scopes and the requirements of applicable laws and regulations. These requirements include, but are not limited to, administrative permits, scopes of qualifications, and CCC requirements.
Subject to operation conditions in requirements conformity with Quality Management System,
This Certificate is valid for a period of three years only,
Date from: Mar 13th,2019 To: Mar 12th,2022
The effectiveness of this Certificate shall be Validated by periodic surveillance audit of ZLTR for maintenance.
Information of this certificate can be found on the official website of Beijing Zhonglian Tianrun Certification center (http://www.zltr.com.cn)

SCC Accredited CB-MS
OCSM Accrédité CCN
Accredited CB-MS (Certification Body – Management Systems)

MEMBER OF MULTILATERAL RECOGNITION ARRANGEMENT IAF

Beijing Zhongliantianrun Certification Center ISSUED BY

Beijing Zhongliantianrun Certification Center
Room2603, 22nd Floor, 2nd Unit, Block 1, No.4 Yard, Qiyang Road, Chaoyang District, Beijing, P.R. China 100102
Information of this certificate can be found on the official website of Certification and Accreditation Administration of the People's Republic of China (http://www.cnca.gov.cn)

ISO 9001

Lista de embalagem



Política de devolução:

Deve retornar ser necessário:

Etapa 1) Entre em contato com este site email.
Passo 2) Forneça o máximo de detalhes possível sobre o problema que você está tendo.
Etapa 3) Autorização para devolver o item será emitida.
Passo 4) Retorna o item para a substituição ou reembolso acordado.

Logística:

(1) Para a entrega do pedido de óptica a laser, pode ser opcional com DHL, UPS, FedEx, TNT, EMS, ETS

(2) paraLasermáquinapedidoEntrega, Can.seropcionalcomtermos.doEx trabalhoFob, cnf, cifPorArouporMarSediadasobreacompradorForwarders.ounosso.

Perguntas frequentes

Q1.Am seu fabricante?

A1: Sim, somos fabricante profissional e experiente com nossos próprios moldes e linhas de produção.

Q2.Como sobre a qualidade dos produtos?

A2: Nossos técnicos e equipes de QC testam os produtos um por um usando linha de envelhecimento, dispositivos profissionais e instrumentos para garantir a qualidade de todos os produtos.

Q3.Como sobre o preço?

A3: Somos um fabricante e sempre oferecemos aos nossos clientes os preços mais competitivos.

Q4.Como colocar um pedido?

A4: Entre em contato com o serviço on-line, ou enviei email para nós diretamente, nós responderemos a você com preço do produto, especificações, embalagem etc. em breve. Obrigada.

Q5.may eu envio material para testar o desempenho de marcação?

A5: Sim! Você é bem-vindo para enviar material para testar nossa qualidade e serviço superiores.

Q6. Posso visitar sua fábrica?

A6: Sim, bem-vindo a visitar nossa fábrica no seu tempo conveniente.

Q7. Como posso fazer ordens de OEM ou ODM?

A7: Temos processamento de impressão diferente para diferentes OEM / ODM. Entre em contato com o serviço on-line ou enviar e-mail para nós diretamente.

Q8. Como devo pagar as minhas ordens?

A8: Você pode pagar com T / T estaria disponível para o banco qualificado e MOQ exigido para cada ordem.